



Publications

Adigun L, Dusenbury C, Schoub BD. Public Health in Africa - the role of national public health institutes. *S Afr Med J* 2007; 97(11): 1036-39.

Adu F, Bukbuk D, Gumede HN, Iber J *et al*. Isolation of recombinant type 2 Vaccine-Derived Poliovirus cVDPV from a Nigerian child. *Virus Research*, 2007; 127(1): 1725.

Anderson R, Steel HC, Cockeran R, Smith AM, von Gottberg A, de Gouveia L, Brink A, Klugman KP, Mitchell TJ, Feldman C. Clarithromycin alone and in combination with ceftriaxone inhibits the production of pneumolysin by both macrolide-susceptible and macrolide-resistant strains of *Streptococcus pneumoniae*. *J Antimicrob Chemother* 2007 Feb; 59(2): 224-9.

Anderson R, Steel HC, Cockeran R, von Gottberg A, de Gouveia L, Klugman KP, Mitchell TJ, Feldman C. Comparison of the effects of macrolides, amoxicillin, ceftriaxone, doxycycline, tobramycin and fluoroquinolones, on the production of pneumolysin by *Streptococcus pneumoniae* in vitro. *J Antimicrob Chemother*, 2007 Nov; 60(5):1155-58.

Andriamamonjy SN, Balanant J, Birmingham M, Delpoyroux F, Gumede HN, Jegouic S, Nkolomoni L, Rabemanantsoa S, Rakoto-Andrianarivelo M, Randriamanalina B, Reynes J-M, Schoub BD, Venter M. Re-emergence of recombinant Vaccine-Derived Poliovirus outbreak in Madagascar. *J Infect Dis*. (In press)

Awolola TS, Oduola A, Oyewole IO, Obansa JB, Amajoh CN, Koekemoer LL, Coetzee M. Dynamics of knockdown insecticide resistance alleles in a field population of *Anopheles gambiae* s.s in south-western Nigeria. *J Vector-Borne Dis* 2007; 44: 181-8.

Ballard RC, Koornhof HJ, Chen C-Y, Radebe F, Fehler HG, Ye Htun. The influence of concomitant HIV infection on the serological diagnosis of primary syphilis in southern Africa. *S Afr Med J* 2007; 97: 1151-54.

Barnard M, Albert H. Coetzee GJ, O'Brien R, Bosman M. Implementation of a rapid molecular screening method for multi-drug resistant tuberculosis in a high volume public health laboratory in South Africa. *AJRCCM*. (In press)

Benjamin RJ, Busch MP, Fang CT, Notari EP, Puren A, Schoub BD, Tobler LH, Hogrefe W, du P Heyns A, Stramer SL, Crookes RL. Human immunodeficiency

virus-1 infection correlates strongly with herpes simplex virus-2 (genital herpes) seropositivity in South African and United States blood donations. *Transfusion* 2008 Feb; 48(2): 295-303. Epub 2007 Nov 13.

Besselaar TG, Botha L, McAnerney J. Phylogenetic analysis of influenza viruses circulating in South Africa during 2006-2007. Proceedings of the International Congress on Options for Control of Influenza V1, Toronto, Canada, 17-23 June 2007, Elsevier Science. (In press)

Bhayroo S, Cohen S, Dhlamini P, Gray G, Martinson NA, McIntyre JA, Moodley D, Morris L, Pillay V, Puren A, Steyn J. Selection and persistence of viral resistance in HIV-infected children after exposure to single-dose nevirapine. *J Acquir Immune Defic Syndr* 2007 Feb 1; 44(2):14853.

Bhigjee I, Padayachee R, Paruk H, Hallwirth-Pillay KD, Marais S, Connolly C. Diagnosis of tuberculous meningitis: clinical and laboratory parameters. *Int J Infect Dis* 2007; 11: 348-54.

Bigoga JD, Manga L, Titanji VPK, Coetzee M, Leke RGF. Malaria vectors and transmission dynamics in coastal south-western Cameroon. *Malaria J* 2007; 6: 5.

Bigoga JD, Manga L, Titanji VPK, Etang J, Coetzee M, Leke RGF. Susceptibility of *Anopheles gambiae* Giles (Diptera: Culicidae) to pyrethroids, DDT and carbosulfan in coastal Cameroon. *Afr Entomol* 2007; 15: 133-39.

Black V, Magooa P, Radebe F, Myers M, Pillay C, Lewis DA. The detection of urethritis among patients with the male urethritis syndrome, genital ulcer syndrome and HIV VCT clients: should South Africa's syndromic management approach be revised? *Sex Transm Infect*. (In press)

Blumberg L, Frean J. Malaria control in South Africa challenges and successes. Festschrift in honour of Professor Hendrik J Koornhof. *S Afr Med J* 2007; 97: 1193-97.

Blumberg L, Weyer J, Frean J, Ogunbanjo GA. Rabies: an evidence-based approach to management. *SA Fam Pract* 2007; 49: 36-40.

Botha EM, Markotter, W, Wolfaardt M, Paweska JT, Swanepoel R, Palacios G, Nel LH, Venter M. Genetic determinants of disease in pathogenic lineage II West Nile virus strains. *Emerg Infect Dis* 2007; 14: 222-30.

Brandful JAM, Coetzer ME, Cilliers T, Phoswa M, Papathanasopoulos MA, Morris L, Moore PL. Phenotypic characterization of HIV-1 isolates from Ghana. *AIDS Res Hum Retroviruses* 2007; 23: 144-52.

Bredell H, Martin DP, van Harmelen J, Varsanil A, Sheppard HW, Donovan R, Gray CM, Williamson C and the HIVNET028 Study Team. HIV Type 1 Subtype C gag and nef Diversity in Southern Africa. *AIDS Res Hum Retroviruses* 2007; 23(3): 477-81.

Burns CC, Gumede HN, Gouandjika-Vasilache I *et al.* Molecular epidemiology of wild poliovirus type 1 circulating in West and Central Africa from 1997-1999, using genotyping with a restriction fragment length polymorphism assay. *Arch Virol* (In press).

Burt F J, Paweska JT, Swanepoel R. Crimean-Congo Hemorrhagic fever in South Africa. In: *Crimean-Congo Hemorrhagic Fever*. Ed. O Ergonul, C A Whitehouse, Springer, Netherlands, 2007; 131-41.

Caidi H, Abernathy ES, Benjouad A, Smit S, Bwogi J, Nanyunja M, El Aouad R, Icenogle J. Phylogenetic analysis of rubella viruses found in Morocco, Uganda, Cote d'Ivoire and South Africa from 2001 to 2007. *J Clin Virol*. (In press)

Coetsee P, Weyer J, Paweska JT, Burt F, Markotter W, Nel LH. Use of a molecular epidemiological database to track human rabies case histories in South Africa. *Epidemiol Infect* 2007; 26: 107.

Coetzer M, Cilliers T, Papathanasopoulos M, Ramjee G, Abdool Karim S, Williamson C, Morris L. Longitudinal analysis of HIV-1 subtype C envelope sequences from South African patients. *AIDS Res Hum Retroviruses* 2007; 23: 316-21.

Cohen C, Sartorius B, Sabeta C, Zulu G, Paweska J, Mogoswane M, Sutton C, Nel LH, Swanepoel R, Leman PA, Grobbelaar AA, Dyason E, Blumberg L. Epidemiology and molecular virus characterization of re-emerging rabies, South Africa. *Emerging Infect Dis* 2007; 13: 1879-86.

Coulson GB, von Gottberg A, Du Plessis M, Smith AM, De Gouveia L, Klugman KP, the Group for Enteric, Respiratory and Meningeal Disease Surveillance in South Africa (GERMS-SA). Epidemiology of meningococcal disease in South Africa 1999-2002. *Emerg Infect Dis* 2007; 13: 273-81.

Crooks ET, Moore PL, Franti M, Cayan CS, Zhu P, Jiang P, de Vries RP, Wiley C, Zharkikh I, Schülke N, Roux KH, Montefiori DC, Burton DR, Binley JM. A Comparative Immunogenicity Study of HIV-1 Virus-Like Particles Bearing Various Forms of Envelope Proteins on their Surfaces, Particles Bearing No Envelope and Soluble Monomeric gp120. *Virology* 2007; 366(2): 245-62.

Currier JR, Galley LM, Wenschuh H, Morafo V, Ratto-Kim S, Gray CM, Maboko L, Hoelscher M, Marovich MA, Cox JH. Peptide impurities in commercial synthetic peptides and the implications for vaccine trial assessment. *Clin Vaccine Immunology* Feb 2008; Vol 15(2): 267-76.

Evans A, Gakuya F, Paweska JT, Rostal M, Akoolo L, Jansen van Vuren P, Manyibe T, Macharia JM, Ksiazek TK, Feikin DR, Breiman RF, Karriuki Njenga M. Prevalence of antibodies against Rift Valley fever virus in Kenya wildlife. *Epidemiol Infect.* doi: 10.1017/S0950268807009806.

Fafetine JM, Tijaar E, Paweska JT, Neves L, Hendrings J, Swanepoel R, Coetzer JAW, Egbering H, Rutten VPMG. Cloning and expression of Rift Valley fever virus nucleocapsid (N) protein and evaluation of a N-based indirect ELISA for the detection of specific IgG and IgM antibodies in domestic ruminants. *Veterinary Microbiology* 2007; 121: 29-38.

Frean J, Blumberg L, Cutland C. Q fever: the southern African perspective. *Ann Aust Coll Trop Med* 2007; 8: 32-4.

Frean J, Blumberg L. Tick bite fever and Q fever a South African perspective. Festschrift in honour of Professor Hendrik J Koornhof. *S Afr Med J* 2007; 97: 1198-1202.

Frean J. Bilharzia. In: Snyman J (ed). *MIMS Primary Care, Vol. 1*. MIMS, Johannesburg, 2007, 143-46.

Frean J. Microscopic images transmitted by mobile cameraphone. *Trans Roy Soc Trop Med Hyg* 2007; 101: 1053.

Frean JA, Blumberg L. Odyssean and non-mosquito-transmitted forms of malaria. In: *Travelers' Malaria*, second edition (Farmer DA, Holmes M, eds.) BC Decker Inc., Ontario, Canada. (In press)

Geldmacher C, Currier JR, Gerhardt M, Haule A, Maboko L, Bix D, Gray C, Meyerhans A, Cox J, Hoelscher M. In a mixed subtype epidemic, the HIV-1 Gag-specific T-cell response is biased towards the infecting subtype. *Basic Science, AIDS* 2007; 21(2):135-43.

Geldmacher C, Gray C, Nason M, Currier JR, Haule A, Njovu L, Geis S, Hoffmann O, Maboko L, Andreas Meyerhans, J and Hoelscher M. A High Viral Burden Predicts the Loss of CD8 T-Cell Responses Specific for Subdominant Gag Epitopes during Chronic Human Immunodeficiency Virus Infection. *J Virology* 2007; 81: 13809-15.

Gilmour JW, Stevens W, Gray C, de Souza M. Laboratory Expansion to Large-scale International HIV Preventive Vaccine Trials. *Curr Opin HIVAIDS* 2007; 2: 201-06.

- Goldsmid J, Freaan J. Parasitic Diseases. In: Kibel MA, Saloojee H (eds). *Child Health for All*, 4th Edition. Oxford University Press, Cape Town, 2007.
- Good KM, Hauser A, Arntzen L, Turnbull PCB. Naturally acquired anthrax antibodies found in a cheetah (*Acinonyx jubatus*) in Botswana. *J Wildlife Diseases*. (In press)
- Govender N. HIV-associated opportunistic fungal infections: a guide to using the clinical microbiology laboratory. *S Afr J HIV Med* 2007; Spring edition: 18-23.
- Gray ES, Moore PL, Choge IA, Decker JM, Bibollet-Ruche F, Li H, Leseka N, Treurnicht F, Mlisana K, Shaw GM, Abdool-Karim SS, Williamson C, Morris L and the CAPRISA 002 study team. Neutralizing antibody responses in acute HIV-1 subtype C infection. *J Virol* 2007; 81: 6187-96.
- Gray ES, Moore PL, Pantophlet RA, Morris L. N-Linked glycan modifications in the gp120 of HIV-1 subtype C renders partial sensitivity to 2G12 antibody neutralization. *J Virol* 2007; 81: 10769-76.
- Gray GE, Tiemessen CT, de Bruyn G. Review article: Immune-based prevention of mother to child HIV-1 transmission. *Curr Opin Molec Therapeutics* 2007; 9: 168-75.
- Guerin PJ, Grais RF, Rottingen JA, Valleron AJ; Shigella Study Group (KH Keddy is a contributor to this study group). Using European travellers as an early alert to detect emerging pathogens in countries with limited laboratory resources. *BMC Public Health* 2007; 7: 8.
- Jewkes R, Nduna M, Levin J, Jama N, Dundle K, Khuzwayo N, Koss M, Puren A, Duvvury N. Factors associated with HIV sero-positivity in young, rural South African women: connections between intimate partner violence and HIV. *Int J Epidemiol*. (In press)
- Keddy KH, Nadan S, Govender C, Sturm AW for the Group for Enteric, Respiratory and Meningeal Disease Surveillance in South Africa. Evidence for a clonally different origin of the two cholera epidemics of 2001-2002 and 1980-1987 in South Africa. *J Med Microbiol* 2007; 56: 1644-50.
- Kuhn L, Schramm DB, Donninger S, Meddows-Taylor S, Coovadia AH, Sherman GG, Gray GE, Tiemessen CT. African infants' CC chemokine ligand 3 (CCL3) gene copies influence perinatal HIV transmission in the absence of nevirapine. *AIDS* 2007; 21: 1753-61.
- Lewis DA, Latif AS, Ndowa F. The Global Strategy for the prevention and control of sexually transmitted infections: time for action. *Sex Transm Infect* 2007; 83: 508-9.
- Lewis DA. Antibiotic resistant gonococci: past, present and future. *S Afr Med J* 2007; 97: 1146-50.
- Ludolfs D, Niedrich M, Paweska JT, Schmitz H. Reverse ELISA for the detection of anti West Nile IgG antibodies in humans. *European J Clin Micro Infect Dis* 2007; 26: 467-73.
- Madhi SA, Cutland C, Zhu Y, Hackell JG, Newman F, Blackburn N, Murphy BR, Belshe RB, Karron RA, Deatly A, Gruber WC, Wright PF. Transmissibility, infectivity and immunogenicity of a live human parainfluenza type 3 virus vaccine (HPIV3cp45) among susceptible infants and toddlers. *Vaccine*. (In press)
- Mans J, Natarajan K, Balbo A, Schuck P, Hess S, Robinson H, Simic H, Jonjic S, Tiemessen CT, Margulies DH. Cellular expression and crystal structure of the murine cytomegalovirus MHC-Iv glycoprotein, m153. *J Biol Chem*. (In press)
- Martinson N, Morris L, Gray G, Moodley, Pillay V, Cohen S, Dhlamini P, Puren A, Bheyyroo S, Steyn J and McIntyre JA. Selection and persistence of viral resistance in HIV-infected children after exposure to single-dose Nevirapine. *J Acquir Immune Defic Syndr* 2007; 44(2): 48-53.
- Martinson NA, Ekouevi DK, Dabis F, Morris L, Lupodwana P, Tonwe-Gold B, Dhlamini P, Becquet R, Steyn J, Leroy V, Viho I, Gray GE and McIntyre JA. Transmission rates in consecutive pregnancies exposed to single-dose nevirapine in Soweto, South Africa and Abidjan, Côte d'Ivoire. *J Acquir Immune Defic Syndr* 2007; 45: 206-9.
- Matambo TS, Brooke BD, Koekemoer LL, Hunt RH, Coetzee M. Insecticide resistance in *Anopheles arabiensis* and association with the *kdr* mutation. *Med Vet Entomol* 2007; 21: 97-102.
- McCarthy K, Cohen C, Schneider H et al, for the Gauteng Cryptococcal Surveillance Initiative Group. The burden of disease due to AIDS in Gauteng: inferred evidence from results of surveillance for cryptococcosis 2002-4. *S Afr Med J*. (In press)
- McCarthy KM, Meintjes G, Arthington-Skaggs B, Bicanic T, Cotton M, Chiller T, Govender N, Harrison T, Karstaedt AS, Maartens G, Rabie H, Varavia E, Venter WDF, Vismar H. Guidelines for the Prevention, Diagnosis and Management of Cryptococcal Meningitis and Disseminated Cryptococcosis in HIV-infected patients. *S Afr J HIV Med* 2007; Spring edition: 25-35.
- Meddows-Taylor S, Shalekoff S, Gray GE, Kuhn L, Tiemessen CT. Development of a whole blood intracellular cytokine staining assay for mapping CD4 and CD8 T cell responses across the HIV-1 genome. *J Virol Methods* 2007; 144: 115-21.
- Mehta U, Durrheim D, Mabuza A, Blumberg L, Allen E, Barnes KI. Malaria pharmacovigilance in Africa: Lessons from a pilot project in Mpumalanga Province, South Africa. In: *Drug Safety* 2007; 30: 899-910.

- Mehta U, Durrheim DN, Blumberg L, Donohue S, Hansford F, Mabuzza A, Kruger P, Gumede JK, Immelman E, Sánchez Canal A, Hugo JJ, Swart G, Barnes KI. Malaria deaths as sentinel events to monitor healthcare delivery and antimalarial drug safety. *Trop Med Internat Hlth* 2007; 12: 617-28.
- Montefiori DC, Morris L, Ferrari G and Mascola JR. Neutralizing and other antiviral antibodies in HIV-1 infection and vaccination. *Current Opinion HIV AIDS* 2007; 2: 169-76.
- Moonasar D, Goga AE, Frean J, Kruger P, Chandramohan D. An exploratory study of factors that affect the performance and usage of rapid diagnostic tests for malaria in the Limpopo Province, South Africa. *Malaria Journal* 2007; 6: 74.
- Morris L, Coetzer M, Gray ES, Cilliers T, Alexandre KB, Moore PL and Binley JM. Entry inhibition of HIV-1 subtype C isolates (Chapter in Book: *Entry Inhibitors in HIV Therapy* - Edited by Jacqueline D. Reeves and Cynthia A. Derdyn) Pages 119-31.
- Mouatcho JC, Hargreaves K, Koekemoer LL, Brooke BD, Oliver SV, Hunt RH, Coetzee M. Indoor collections of the *Anopheles funestus* group (Diptera: Culicidae) in sprayed houses in northern KwaZulu/Natal, South Africa. *Malaria J* 2007; 6: 30.
- Müller MA, Paweska JT, Leman PA, Drosten CH, Grywna K, Kemp A, Braack L, Sonnenberg K, Niedrig M, Swanepoel R. Coronaviruses antibodies in African bat species. *Emerg Infect Dis* 2007; 13: 1367-70.
- Nel LH, Weyer J. Animal viruses pathogenic for humans. In: *Encyclopaedia of the Life Sciences*. Ed. John Wiley & Sons, Ltd., United Kingdom. www.els.net/DOI10.1002/9780470015902.a0001079.pub2.
- Ngandu NG, Bredell H, Gray CM, Williamson C, Seoghe C; HIVNET028 Study Team. CTL response to HIV type 1 subtype C is poorly predicted by known epitope motifs. *AIDS Res Hum Retroviruses* 2007; 23(8):1033-41.
- Ngomane L, Nkosi BG, Booman M, La Grange JJP, Koekemoer LL, Maharaj R. The distribution and abundance of species of the *Anopheles funestus* group (Diptera: Culicidae) in Mpumalanga Province, South Africa. *Afr Entomol* 2007; 15: 221-24.
- Niedrig M, Sonnenberg K, Steinhagen K, Paweska JT. Comparison of ELISA and immunoassays for measurement of IgG and IgM antibody to West Nile virus in human sera against virus neutralisation. *J Virol Methods* 2007; 139: 103-5.
- Okoye PN, Brooke BD, Hunt RH, Coetzee M. Relative developmental and reproductive fitness associated with pyrethroid resistance in the major southern African malaria vector *Anopheles funestus*. *Bull Entomol Res* 2007; 97: 599-605.
- Paweska JT, Janse van Vuren P, Kemp A, Buss P, Bengis, RG, Gakuya F, Breiman RF, Kar MN, Swanepoel R. Recombinant nucleocapsid-based ELISA for detection of IgG antibody to Rift Valley fever in African buffalo. *Vet Microbiol* 2007; 127: 21-8.
- Paweska JT, Jansen van Vuren P, Swanepoel R. Validation of an indirect ELISA based on a recombinant nucleocapsid protein of Rift Valley fever virus for the detection of IgG antibody in humans. *J Virol Methods* 2007; 146: 119-24.
- Pillay A, Radebe F, Fehler G, Htun Y, Ballard RC. Comparison of a TaqMan-based real-time polymerase chain reaction with conventional tests for the detection of *Trichomonas vaginalis*. *Sex Transm Infect* 2007; 83: 126-29.
- Pillay V, Parker W, Puren A, Rehle T, Shisana O, Zuma K. National HIV incidence measures new insights into the South African epidemic. *S Afr Med J* 2007 Mar; 97(3): 1949.
- Pipingas A, Dangor Y, Radebe F, Fehler HG, Khumalo S, de Gouveia L, Koornhof HJ, Ballard RC. Microbiological investigation of Bartholin's gland abscesses in urban women in Johannesburg. *Southern Afr J Epidemiol Infect* 2007 Mar; 22(1): 18-22.
- Rademeyer C, Moore PL, Taylor N, Martin DP, Choge IA, Gray ES, Sheppard HW, Gray C, Morris L, Williamson C; HIVNET 028 study team. Genetic characteristics of HIV-1 subtype C envelopes inducing cross-neutralizing antibodies. *Virology* 2007; 368(1): 172-81.
- Sarbarzo A, Paweska JT, Herrman S, Amir T, Marks TS, Lobel L. Optical fiber immunosensor for the detection of IgG antibody to Rift Valley fever virus in humans. *J Virol Methods* 2007; 146: 327-34.
- Schoub BD. Eradication of disease - the case study of polio. *S Afr Med J* 2007; 97(11): 1177-81.
- Schramm DB, Meddows-Taylor S, Gray GE, Kuhn L, Tiemessen CT. Low maternal viral loads and reduced granulocyte-macrophage colony-stimulating factor levels characterize exposed-uninfected infants who develop protective HIV-1 specific responses. *Clin Vacc Immunol* 2007; 14: 348-54.
- Seoghe C, Scheffler K, Ketwaroo F, Wood N, Duffet R, Pillay V, Martinson N, McIntyre J, Morris L, Hide W. A model of directional selection applied to the evolution of drug resistance in HIV-1. *Mol Biol Evo* 2007; 24: 1025-31.
- Smith AM, De Wee L, Keddy KH. Characterization of cholera outbreak isolates from Namibia, December 2006 to February 2007. *Epidemiol Infect* 2007; 29: 1-3 [Epub ahead of print].
- Smith AM, Gouws A-M, Hoyland G, Sooka A, Keddy KH for the Group for Enteric, Respiratory and Meningeal

Disease Surveillance in South Africa (GERMS-SA). Outbreaks of food-borne disease - a common occurrence but rarely reported. *S Afr Med J* 2007; 97: 1272.

Swanepoel R, Smit SB, Rollin PE, Formenty P, Leman PA, Kemp A, Burt FJ, Grobbelaar AA, Croft J, Bausch DG, Zeller H, Leirs H, Braack LEO, Libande ML, Zaki S, Nichol ST, Ksiazek TG, Paweska JT. Studies of reservoir hosts for Marburg virus. *Emerg Infect Dis* 2007; 13: 1847-51.

Taylor PJ, Arntzen L, Hayter M, Iles M, Frean JA, Belmain S. Understanding and managing sanitary risks due to rodent zoonoses in an African city: beyond the Boston Model. *J Integrated Zoology*. (In press)

Tiemessen CT, Kuhn, L. CC chemokines and protective immunity: insights gained from mother-to-child transmission of HIV. *Nat Immunol* 2007; 8: 219-22.

Turnbull PCB, Diekmann, Kilian MJW, Versfeld W, de Vos V, Arntzen L, Walter K, Bartels P, Kotze A. Naturally acquired antibodies to *Bacillus anthracis* protective antigen in vultures of southern Africa. *Onderstepoort J Veterinary Research*. (In press)

Van Niekerk G, Henning M, Coetzee M. An outbreak of myiasis in Pretoria. *S Afr Med J* 2007; 97: 112-14.

Van Vuuren PJ, Potgieter AC, Paweska JT, van Dijk AA. Preparation and evaluation of a recombinant Rift Valley fever virus N protein for the detection of IgG and IgM antibodies in humans and animals by indirect ELISA. *J Virol Methods* 2007; 140: 106-14.

Venter GJ, Mellor PS, Wright I, Paweska JT. Replication of live-attenuated vaccine strains of bluetongue virus in orally infected South African Culicoides species. *Med Vet Entomol* 2007; 21: 239-47.

Venter GJ, Paweska JT. Virus recovery rates for wild-type and live-attenuated vaccine strains of African horse sickness virus serotype 7 in orally infected South African Culicoides species. *Med Vet Entomol* 2007; 21: 1-7.

Walker PR, Ketunuti M, Choge I, Meyers T, Gray G, Holmes EC, Morris L. Polymorphisms in Nef associated with different clinical outcomes in HIV-1 subtype C infected children. *AIDS Res Hum Retroviruses* 2007; 23: 204-15.

Wallace DB, Weyer J, Nel LH, Viljoen GJ. Improved method for the generation and purification of recombinant Lumpy Skin Disease virus. *J Virol Methods* 2007; 146: 52-60.

Weyer J, Blumberg L. Rabies: Challenge of diagnosis in resource-poor countries. *Infect Dis J of Pakistan* 2007; 16: 86-88.

Weyer J, Kuzmin IV, Rupprecht CE, Nel LH. Cross-protective and cross-reactive immune responses against recombinant vaccinia viruses expressing full-length lyssavirus glycoprotein genes. *Epid Infect* 2007; 22: 1-9.

Weyer J, Mans J, Viljoen GJ, Rupprecht CE, Nel LH. Evaluation of recombinant modified vaccinia virus Ankara vaccine for rabies. *Vaccine* 2007; 25: 4213-22.

Wölfel R, Paweska JT, Petersen N, Grobbelaar AA, Leman PA, Hewson R, Georges-Courbot MC, Papa A, Günther DC. Virus detection and monitoring of viral load in Crimean-Congo hemorrhagic fever virus patients. *Emerg Infect Dis* 2007; 13: 1097-1100.

Wollin R on behalf of the Enter-net participants (KH Kedy contributes South African data to Enternet). A study of invasiveness of different salmonella serovars based on analysis of the enter-net database. *Eurosurveillance*. <http://www.eurosurveillance.org/ew/2007/070927.asp#3>

Wolter N, Smith AM, Low DE, Klugman KP. High-level telithromycin resistance in a clinical isolate of *Streptococcus pneumoniae*. *Antimicrob Agents Chemother* 2007 Mar; 51(3):1092-95.

Wondji CS, Morgan J, Coetzee M, Hunt RH, Steen K, Black WC, Hemingway J, Ranson H. Mapping a quantitative trait locus (QTL) conferring pyrethroid resistance in the African malaria vector *Anopheles funestus*. *BMC Genomics* 2007; 8: 34.

World Health Organization. *Policies and Procedures of the WHO/NICD Microbiology External Quality Assessment Programme. Years 1 to 4, 2002-2006*. WHO, Geneva, 2007.

Yu VL, Hansen DS, Chien Ko W, Sagnimeni A, Klugman KP, von Gottberg A, Goossens H, Wagener MM, Benedi VJ and the International Klebsiella Study Group. Virulence characteristics of Klebsiella and clinical manifestations of *K. pneumoniae* bloodstream infections. *Emerg Infect Dis* 2007 Jul; 13(7): 986-93.

Zafar A, Swanepoel R, Hewson R, Nizam M, Ahmed A, Husain A, Grobbelaar A, Bewley K, Mioulet V, Dowsett B, Easterbrook L, Hasan R. Nosocomial buffalopoxvirus infection, Karachi, Pakistan. *Emerg Infect Dis* 2007; 13: 902-4.

Zhai J, Palacios G, Towner JS, Jabado O, Kapoor V, Venter M, Grolla A, Briese T, Paweska J, Swanepoel R, Feldman H, Nichol ST, Lipkin WI. Rapid molecular strategy for filovirus detection and characterization. *J Clin Microbiol* 2007; 45: 224-26.