

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013
FEMALE - ALL POPULATION GROUPS COMBINED

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	8131	8132	22.22	29.99	32.60	31.89	33.32	3.51	28
BCC	6571	6573	17.96	24.24	26.53	25.88	27.18	2.88	35
Cervix	5701	5701	15.58	21.02	22.06	21.48	22.64	2.30	44
SCC of skin	2484	2485	6.79	9.16	9.96	9.56	10.35	0.93	108
Primary site unknown	1741	1741	4.76	6.42	7.06	6.73	7.40	0.81	123
Colorectal	1542	1542	4.21	5.69	6.23	5.92	6.54	0.69	145
Uterus	1152	1152	3.15	4.25	4.81	4.53	5.09	0.63	159
Lung	923	923	2.52	3.40	3.81	3.56	4.06	0.49	205
Oesophagus	651	651	1.78	2.40	2.69	2.48	2.90	0.31	319
Non Hodgkin lymphoma	802	802	2.19	2.96	3.05	2.83	3.26	0.31	327
Melanoma	723	723	1.98	2.67	2.85	2.64	3.06	0.29	349
Ovary	456	456	1.25	1.68	1.84	1.67	2.01	0.21	466
Kaposi Sarcoma	728	728	1.99	2.68	2.44	2.26	2.61	0.20	503
Stomach	407	407	1.11	1.50	1.64	1.48	1.80	0.18	561
Thyroid	398	398	1.09	1.47	1.52	1.37	1.67	0.16	641
Bladder	307	307	0.84	1.13	1.24	1.10	1.38	0.14	709
Vulva	343	343	0.94	1.26	1.28	1.14	1.42	0.12	807
Eye	365	365	1.00	1.35	1.29	1.16	1.42	0.11	916
Kidney	250	250	0.68	0.92	1.01	0.88	1.14	0.10	1052
Leukaemia	279	279	0.76	1.03	1.08	0.95	1.21	0.09	1068
Connective tissue	232	232	0.63	0.86	0.91	0.79	1.03	0.09	1087
Mouth	191	191	0.52	0.70	0.79	0.67	0.90	0.09	1109
Liver & Bile duct	179	179	0.49	0.66	0.71	0.60	0.81	0.08	1236
Myeloma	149	149	0.41	0.55	0.61	0.51	0.71	0.08	1296
Pancreas	152	152	0.42	0.56	0.63	0.53	0.73	0.08	1314
Skin other	187	187	0.51	0.69	0.73	0.63	0.84	0.08	1333
Vagina	151	151	0.41	0.56	0.59	0.49	0.68	0.07	1523
Other specified	135	135	0.37	0.50	0.54	0.45	0.64	0.06	1610
Tongue	136	136	0.37	0.50	0.56	0.47	0.66	0.06	1631
Brain, CNS	140	140	0.38	0.52	0.55	0.46	0.64	0.06	1727
Hodgkin lymphoma	184	184	0.50	0.68	0.64	0.55	0.73	0.05	1848
Larynx	101	101	0.28	0.37	0.42	0.34	0.50	0.05	1966
Anus	125	125	0.34	0.46	0.47	0.39	0.56	0.05	2077
Naso-Oropharynx	100	100	0.27	0.37	0.40	0.32	0.49	0.05	2152
Salivary gland	82	82	0.22	0.30	0.31	0.24	0.38	0.03	3087
Small intestine	58	58	0.16	0.21	0.23	0.17	0.29	0.03	3437
Mesothelioma	56	56	0.15	0.21	0.22	0.16	0.28	0.03	3624
Bone	75	75	0.20	0.28	0.28	0.21	0.34	0.02	4379
Burkitt lymphoma	72	72	0.20	0.27	0.25	0.19	0.31	0.02	4927
Lip	22	22	0.06	0.08	0.09	0.05	0.13	0.01	8180
Haematology other	31	31	0.08	0.11	0.12	0.07	0.16	0.01	8580
Placenta	43	43	0.12	0.16	0.14	0.10	0.19	0.01	9594
Endocrine	25	25	0.07	0.09	0.10	0.06	0.13	0.01	15192
Gum	10	10	0.03	0.04	0.04	0.01	0.07	0.00	22648
Ill defined	5	5	0.01	0.02	0.02	0.00	0.04	0.00	46469
*TOTALS	36595	36599	100.00	101.56	108.86	107.56	110.16	11.76	9

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) Number of new cases adjusted for those with sex unknown (allocated pro rata)
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013
MALE - ALL POPULATION GROUPS COMBINED

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	9172	9175	25.53	35.53	56.24	55.05	57.43	6.08	16
Prostate	6778	6778	18.86	26.25	44.30	43.22	45.37	5.52	18
SCC of skin	3928	3929	10.93	15.22	26.07	25.23	26.90	2.60	39
Colorectal	1906	1906	5.30	7.38	11.47	10.94	12.00	1.34	75
Lung	1766	1766	4.91	6.84	10.43	9.93	10.93	1.32	76
Primary site unknown	1712	1712	4.76	6.63	9.64	9.16	10.11	1.16	86
Bladder	952	952	2.65	3.69	6.22	5.81	6.63	0.68	147
Oesophagus	844	844	2.35	3.27	4.97	4.62	5.31	0.60	167
Melanoma	819	819	2.28	3.17	4.89	4.54	5.24	0.55	183
Stomach	743	743	2.07	2.88	4.46	4.13	4.79	0.51	194
Non Hodgkin lymphoma	882	882	2.45	3.42	4.34	4.04	4.65	0.45	221
Larynx	471	471	1.31	1.82	2.82	2.56	3.08	0.38	266
Kaposi Sarcoma	986	986	2.74	3.82	3.63	3.39	3.86	0.32	315
Mouth	342	342	0.95	1.32	1.99	1.77	2.20	0.25	403
Kidney	352	352	0.98	1.36	1.94	1.73	2.15	0.23	444
Tongue	299	299	0.83	1.16	1.65	1.46	1.84	0.20	501
Naso-Oropharynx	275	275	0.77	1.06	1.51	1.33	1.69	0.19	533
Liver & Bile duct	289	289	0.80	1.12	1.58	1.39	1.77	0.17	575
Leukaemia	350	351	0.98	1.36	1.71	1.52	1.89	0.16	645
Skin other	265	265	0.74	1.03	1.55	1.35	1.75	0.15	655
Pancreas	176	176	0.49	0.68	1.04	0.88	1.20	0.14	726
Connective tissue	264	264	0.73	1.02	1.29	1.13	1.46	0.13	758
Myeloma	148	148	0.41	0.57	0.86	0.72	1.01	0.11	887
Other specified	152	152	0.42	0.59	0.84	0.70	0.98	0.11	896
Eye	293	293	0.82	1.13	1.22	1.07	1.36	0.11	936
Brain, CNS	206	206	0.57	0.80	1.00	0.86	1.14	0.11	944
Breast	156	156	0.43	0.60	0.89	0.74	1.03	0.11	945
Mesothelioma	126	126	0.35	0.49	0.80	0.66	0.94	0.10	994
Hodgkin lymphoma	273	273	0.76	1.06	1.08	0.95	1.22	0.10	994
Penis	166	166	0.46	0.64	0.82	0.69	0.96	0.09	1136
Thyroid	131	131	0.36	0.51	0.66	0.54	0.77	0.08	1186
Anus	101	101	0.28	0.39	0.54	0.43	0.66	0.07	1489
Salivary gland	94	94	0.26	0.36	0.52	0.41	0.63	0.06	1691
Testis	156	156	0.43	0.60	0.59	0.49	0.68	0.05	2084
Small intestine	63	63	0.18	0.24	0.38	0.28	0.47	0.04	2329
Lip	60	60	0.17	0.23	0.32	0.23	0.40	0.04	2683
Bone	81	81	0.23	0.31	0.32	0.25	0.39	0.02	4115
Burkitt lymphoma	73	73	0.20	0.28	0.28	0.21	0.35	0.02	4276
Haematology other	43	43	0.12	0.17	0.21	0.14	0.27	0.02	5182
Gum	15	15	0.04	0.06	0.09	0.04	0.13	0.01	9287
Ill defined	10	10	0.03	0.04	0.05	0.02	0.09	0.01	17185
Endocrine	17	17	0.05	0.07	0.07	0.04	0.11	0.01	18374
*TOTALS	35935	35940	100.00	88.43	132.95	131.17	134.73	15.70	6

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) Number of new cases adjusted for those with sex unknown (allocated pro rata)
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
***TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013

ASIAN FEMALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	353	363	35.03	54.97	47.04	42.19	51.90	5.27	19
Primary site unknown	79	83	8.04	12.61	10.98	8.60	13.35	1.35	74
Colorectal	74	77	7.41	11.63	10.23	7.93	12.53	1.20	84
Uterus	70	73	7.07	11.10	9.39	7.23	11.55	1.17	85
Cervix	58	59	5.66	8.89	7.58	5.63	9.53	0.82	122
BCC	42	42	4.10	6.43	5.57	3.89	7.25	0.60	167
Lung	31	33	3.15	4.95	4.18	2.74	5.62	0.56	179
Thyroid	26	26	2.54	3.99	3.42	2.11	4.74	0.39	256
Stomach	24	25	2.42	3.79	3.25	1.97	4.53	0.36	280
Ovary	24	25	2.41	3.78	3.23	1.95	4.50	0.35	289
Non Hodgkin lymphoma	20	21	1.98	3.11	2.77	1.56	3.98	0.34	296
Salivary gland	4	4	0.40	3.24	2.74	1.57	3.91	0.34	298
Bladder	15	16	1.54	2.41	2.10	1.06	3.13	0.29	340
Oesophagus	16	17	1.65	2.59	2.23	1.17	3.29	0.25	395
Vulva	16	16	1.57	2.47	2.25	1.15	3.35	0.24	421
Tongue	14	14	1.38	2.17	1.85	0.89	2.82	0.23	429
Kidney	12	12	1.19	1.86	1.82	0.77	2.87	0.22	450
Mouth	11	12	1.12	1.76	1.52	0.64	2.41	0.18	563
Melanoma	13	13	1.27	1.99	1.72	0.78	2.65	0.18	568
Pancreas	8	8	0.79	1.24	1.06	0.33	1.80	0.14	703
Hodgkin lymphoma	9	10	0.92	1.44	1.22	0.44	2.01	0.12	809
Anus	4	4	0.40	0.62	0.56	0.02	1.11	0.10	992
Other specified	4	4	0.41	0.64	0.57	0.02	1.11	0.10	999
Connective tissue	6	7	0.63	0.99	0.88	0.20	1.56	0.09	1132
Skin other	6	6	0.62	0.97	0.83	0.18	1.48	0.08	1183
Naso-Oropharynx	4	4	0.40	0.63	0.52	0.02	1.02	0.08	1275
Vagina	3	3	0.30	0.48	0.44	-0.05	0.92	0.07	1385
Mesothelioma	2	2	0.19	0.30	0.28	-0.11	0.66	0.07	1448
SCC of skin	21	21	2.07	0.63	0.55	0.02	1.09	0.07	1478
Leukaemia	6	6	0.60	0.95	1.19	0.22	2.15	0.06	1625
Brain, CNS	4	4	0.40	0.62	0.56	0.02	1.11	0.05	1845
Gum	4	4	0.43	0.67	0.53	0.04	1.03	0.05	2093
Myeloma	2	2	0.20	0.32	0.26	-0.10	0.62	0.05	2154
Liver & Bile duct	3	3	0.30	0.48	0.41	-0.04	0.87	0.05	2157
Eye	4	4	0.40	0.63	0.53	0.02	1.04	0.04	2272
Larynx	3	3	0.30	0.48	0.40	-0.04	0.83	0.03	3188
Small intestine	4	4	0.39	0.62	0.51	0.01	1.00	0.03	3649
Lip	1	1	0.10	0.16	0.15	-0.14	0.44	0.03	3921
Kaposi Sarcoma	2	2	0.19	0.31	0.30	-0.11	0.71	0.02	5380
Bone	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Burkitt lymphoma	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Endocrine	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Haematology other	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Ill defined	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Placenta	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
*TOTALS	1002	1036	100.00	156.94	127.33	119.2840	135.3661	14.719	7

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013

ASIAN MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	161	169	20.30	25.24	28.61	24.22	33.01	3.76	27
Colorectal	108	113	13.63	16.95	17.62	14.27	20.97	2.03	49
Lung	77	80	9.65	12.00	12.46	9.69	15.23	1.68	59
Primary site unknown	70	74	8.90	11.07	11.25	8.64	13.86	1.41	71
BCC	48	49	5.83	7.25	7.42	5.29	9.55	0.81	123
Stomach	43	44	5.33	6.62	7.27	5.06	9.48	0.71	140
Bladder	43	44	5.33	6.62	7.16	4.98	9.34	0.68	148
Non Hodgkin lymphoma	24	25	2.97	3.69	3.54	2.10	4.97	0.42	241
SCC of skin	20	21	2.47	3.07	3.68	2.04	5.33	0.39	258
Kidney	19	20	2.35	2.92	2.70	1.48	3.92	0.29	348
Pancreas	8	8	1.00	1.24	1.38	0.43	2.32	0.26	381
Larynx	13	14	1.65	2.05	2.18	1.00	3.37	0.25	395
Liver & Bile duct	10	11	1.29	1.61	1.53	0.60	2.46	0.23	443
Myeloma	7	7	0.90	1.11	1.14	0.31	1.97	0.20	510
Mouth	9	10	1.16	1.44	1.34	0.47	2.21	0.19	516
Connective tissue	12	13	1.52	1.89	1.78	0.78	2.77	0.19	531
Oesophagus	8	9	1.02	1.27	1.27	0.40	2.14	0.16	621
Brain, CNS	8	8	1.00	1.24	1.25	0.38	2.13	0.15	682
Penis	6	6	0.72	0.90	0.98	0.19	1.77	0.14	711
Testis	14	14	1.72	2.13	1.79	0.85	2.72	0.14	727
Kaposi Sarcoma	14	14	1.71	2.12	1.71	0.81	2.60	0.13	741
Other specified	6	6	0.75	0.93	0.92	0.19	1.66	0.13	742
Anus	6	6	0.74	0.92	0.90	0.18	1.63	0.13	777
Hodgkin lymphoma	11	11	1.36	1.69	1.53	0.59	2.47	0.12	809
Mesothelioma	3	3	0.36	0.45	0.53	-0.07	1.13	0.12	848
Leukaemia	8	8	1.00	1.24	1.30	0.39	2.20	0.11	907
Naso-Oropharynx	5	5	0.63	0.78	0.75	0.10	1.40	0.10	959
Thyroid	9	9	1.10	1.37	1.06	0.36	1.76	0.10	984
Tongue	6	6	0.75	0.93	0.93	0.16	1.71	0.07	1365
Breast	4	4	0.50	0.62	0.58	0.02	1.14	0.06	1585
Melanoma	5	5	0.60	0.75	0.74	0.04	1.44	0.05	1936
Salivary gland	3	3	0.37	0.46	0.50	-0.06	1.06	0.05	2019
Eye	4	4	0.50	0.62	0.56	-0.03	1.15	0.04	2719
Small intestine	2	2	0.25	0.31	0.26	-0.10	0.63	0.02	4145
Burkitt lymphoma	1	1	0.13	0.16	0.13	-0.12	0.38	0.02	6320
Ill defined	1	1	0.15	0.19	0.16	-0.12	0.45	0.02	6400
Haematology other	1	1	0.12	0.15	0.13	-0.12	0.39	0.01	7548
Skin other	2	2	0.26	0.32	0.44	-0.17	1.06	0.00	39711
Bone	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Endocrine	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Gum	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Lip	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
*TOTALS	799	832	100	113.99	118.39	109.79	126.99	14.19	7

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013
BLACK FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Cervix	4762	4815	30.80	22.21	25.90	25.15	26.65	2.71	37
Breast	3250	3341	21.37	15.41	18.62	17.97	19.26	1.95	51
Primary site unknown	931	981	6.28	4.53	5.62	5.26	5.98	0.63	158
Uterus	625	654	4.18	3.02	4.02	3.71	4.33	0.53	189
Oesophagus	482	515	3.30	2.38	3.11	2.84	3.39	0.36	275
Colorectal	411	426	2.73	1.97	2.38	2.15	2.61	0.26	388
Kaposi Sarcoma	649	653	4.18	3.01	2.76	2.54	2.97	0.23	439
Non Hodgkin lymphoma	459	471	3.02	2.17	2.29	2.08	2.51	0.22	461
Lung	229	241	1.54	1.11	1.45	1.26	1.63	0.18	547
BCC	317	317	2.03	1.46	1.82	1.61	2.02	0.18	557
SCC of skin	335	342	2.19	1.58	1.86	1.66	2.06	0.17	575
Eye	322	337	2.15	1.55	1.52	1.36	1.69	0.13	781
Vulva	236	240	1.54	1.11	1.17	1.02	1.32	0.11	919
Ovary	154	160	1.02	0.74	0.90	0.76	1.04	0.11	930
Stomach	161	168	1.07	0.78	0.95	0.81	1.10	0.10	979
Thyroid	128	130	0.83	0.60	0.67	0.56	0.79	0.07	1372
Melanoma	136	138	0.88	0.63	0.80	0.66	0.93	0.07	1401
Vagina	114	120	0.76	0.55	0.63	0.52	0.75	0.07	1484
Connective tissue	119	130	0.83	0.60	0.68	0.56	0.80	0.07	1496
Liver & Bile duct	95	100	0.64	0.46	0.54	0.43	0.65	0.06	1623
Bladder	92	98	0.63	0.45	0.57	0.45	0.68	0.06	1651
Leukaemia	135	141	0.90	0.65	0.70	0.58	0.82	0.06	1695
Myeloma	71	74	0.47	0.34	0.43	0.33	0.53	0.05	1838
Kidney	115	118	0.75	0.54	0.62	0.51	0.74	0.05	2041
Mouth	73	77	0.49	0.36	0.45	0.35	0.55	0.05	2125
Hodgkin lymphoma	114	121	0.77	0.56	0.53	0.43	0.63	0.04	2314
Anus	79	81	0.52	0.37	0.40	0.31	0.50	0.04	2468
Skin other	79	84	0.54	0.39	0.43	0.34	0.53	0.04	2514
Other specified	61	64	0.41	0.30	0.34	0.26	0.43	0.04	2700
Larynx	41	43	0.28	0.20	0.26	0.18	0.34	0.03	3442
Naso-Oropharynx	52	54	0.35	0.25	0.29	0.21	0.37	0.03	3448
Tongue	43	44	0.28	0.20	0.25	0.18	0.33	0.03	3492
Small intestine	33	34	0.21	0.15	0.20	0.13	0.26	0.03	3726
Salivary gland	41	43	0.27	0.20	0.22	0.15	0.29	0.03	3957
Pancreas	31	32	0.20	0.15	0.19	0.12	0.25	0.02	4435
Burkitt lymphoma	58	59	0.38	0.27	0.26	0.19	0.33	0.02	4497
Brain, CNS	49	50	0.32	0.23	0.25	0.18	0.32	0.02	4827
Bone	39	42	0.27	0.20	0.19	0.13	0.25	0.01	7654
Placenta	37	37	0.24	0.17	0.15	0.10	0.21	0.01	8808
Mesothelioma	17	17	0.11	0.08	0.10	0.05	0.15	0.01	9071
Haematology other	14	15	0.10	0.07	0.07	0.03	0.10	0.01	18520
Lip	5	5	0.03	0.02	0.03	0.00	0.06	0.00	25688
Endocrine	11	11	0.07	0.05	0.05	0.02	0.08	0.00	31647
Gum	4	4	0.03	0.02	0.02	0.00	0.05	0.00	33530
Ill defined	3	4	0.02	0.02	0.02	0.00	0.05	0.00	53301
*TOTALS	15212	15632	100.00	69.08	81.07	79.74	82.40	8.55	12

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013
BLACK MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	2581	2708	25.16	13.14	28.56	27.45	29.67	3.45	29
Primary site unknown	877	928	8.62	4.50	7.80	7.27	8.34	0.95	106
Lung	662	691	6.42	3.35	6.12	5.64	6.59	0.77	131
Oesophagus	538	572	5.31	2.78	5.25	4.80	5.70	0.61	164
Colorectal	493	518	4.81	2.51	4.32	3.92	4.71	0.51	197
BCC	374	374	3.47	1.81	3.56	3.18	3.95	0.42	240
Kaposi Sarcoma	875	888	8.25	4.31	4.32	4.01	4.62	0.39	258
SCC of skin	399	410	3.81	1.99	3.64	3.26	4.02	0.37	268
Larynx	247	260	2.42	1.26	2.44	2.13	2.75	0.33	307
Non Hodgkin lymphoma	502	516	4.79	2.50	3.13	2.84	3.43	0.32	316
Stomach	219	226	2.10	1.10	2.01	1.73	2.28	0.25	402
Mouth	163	174	1.62	0.85	1.55	1.30	1.79	0.19	534
Tongue	138	144	1.34	0.70	1.24	1.02	1.45	0.16	629
Bladder	131	135	1.25	0.65	1.25	1.03	1.48	0.15	653
Liver & Bile duct	160	172	1.60	0.83	1.32	1.10	1.53	0.15	670
Naso-Oropharynx	139	146	1.36	0.71	1.18	0.97	1.38	0.14	691
Eye	246	256	2.37	1.24	1.42	1.23	1.60	0.13	763
Breast	99	102	0.95	0.50	0.90	0.71	1.08	0.11	933
Connective tissue	146	154	1.43	0.75	1.04	0.86	1.22	0.11	938
Leukaemia	177	184	1.71	0.89	1.09	0.92	1.26	0.09	1081
Melanoma	79	79	0.74	0.39	0.69	0.53	0.86	0.09	1089
Penis	118	118	1.10	0.57	0.76	0.61	0.90	0.08	1269
Myeloma	64	68	0.63	0.33	0.60	0.45	0.75	0.07	1347
Other specified	75	78	0.72	0.38	0.60	0.46	0.75	0.07	1388
Hodgkin lymphoma	166	170	1.58	0.83	0.83	0.70	0.96	0.07	1433
Kidney	88	91	0.84	0.44	0.62	0.48	0.76	0.06	1643
Anus	55	57	0.53	0.28	0.44	0.32	0.57	0.06	1706
Skin other	87	93	0.86	0.45	0.63	0.49	0.78	0.06	1737
Mesothelioma	43	43	0.40	0.21	0.40	0.28	0.52	0.05	1909
Pancreas	48	50	0.46	0.24	0.43	0.30	0.55	0.05	1928
Salivary gland	45	46	0.43	0.23	0.37	0.25	0.48	0.04	2366
Thyroid	39	40	0.37	0.19	0.28	0.18	0.37	0.04	2747
Brain, CNS	61	63	0.59	0.31	0.36	0.26	0.45	0.03	3093
Small intestine	25	26	0.24	0.13	0.24	0.14	0.33	0.03	3669
Burkitt lymphoma	55	57	0.53	0.28	0.29	0.21	0.37	0.02	4153
Bone	46	47	0.44	0.23	0.22	0.16	0.29	0.01	6744
Testis	28	29	0.27	0.14	0.15	0.09	0.21	0.01	7613
Lip	13	13	0.12	0.06	0.09	0.04	0.14	0.01	8677
Gum	7	8	0.08	0.04	0.08	0.02	0.13	0.01	13605
Ill defined	6	8	0.07	0.04	0.06	0.01	0.11	0.01	16502
Haematology other	17	17	0.16	0.08	0.08	0.04	0.12	0.01	16684
Endocrine	7	7	0.07	0.04	0.03	0.01	0.06	0.00	55226
*TOTALS	10338	10764	100.00	48.43	83.16	81.40	84.91	9.68	10

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013
COLOURED FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	1068	1098	27.07	44.64	46.73	43.91	49.56	5.04	20
BCC	680	680	16.77	27.65	31.28	28.88	33.67	3.31	30
Cervix	338	342	8.43	13.90	13.42	11.96	14.87	1.42	71
Lung	196	207	5.09	8.40	9.47	8.15	10.78	1.28	78
Colorectal	225	233	5.76	9.49	10.62	9.23	12.02	1.24	81
Primary site unknown	198	209	5.15	8.48	9.31	8.02	10.60	1.05	95
SCC of skin	228	233	5.73	9.45	11.19	9.73	12.66	1.00	100
Uterus	114	119	2.94	4.85	5.63	4.61	6.66	0.74	134
Stomach	86	90	2.21	3.65	4.09	3.23	4.95	0.47	212
Non Hodgkin lymphoma	74	76	1.87	3.09	3.20	2.46	3.93	0.37	267
Ovary	59	61	1.51	2.49	2.55	1.90	3.20	0.30	331
Oesophagus	52	56	1.37	2.26	2.54	1.86	3.22	0.30	337
Bladder	41	44	1.07	1.77	2.04	1.42	2.65	0.26	385
Melanoma	66	67	1.65	2.71	2.90	2.19	3.61	0.24	413
Thyroid	49	50	1.22	2.02	1.95	1.39	2.50	0.19	540
Myeloma	25	26	0.64	1.06	1.24	0.76	1.73	0.18	544
Pancreas	21	22	0.53	0.88	1.00	0.57	1.43	0.16	631
Vulva	33	34	0.83	1.37	1.40	0.91	1.88	0.16	640
Larynx	26	27	0.67	1.11	1.23	0.76	1.70	0.15	653
Mouth	28	30	0.73	1.20	1.28	0.81	1.75	0.15	688
Leukaemia	40	42	1.03	1.70	1.72	1.19	2.26	0.14	722
Brain, CNS	23	24	0.58	0.96	1.05	0.62	1.48	0.13	775
Tongue	25	26	0.63	1.04	1.12	0.68	1.57	0.12	820
Kidney	28	29	0.71	1.17	1.23	0.77	1.70	0.12	823
Connective tissue	23	25	0.62	1.02	1.10	0.66	1.55	0.12	829
Kaposi Sarcoma	38	38	0.94	1.56	1.40	0.95	1.85	0.11	905
Other specified	20	21	0.52	0.86	0.92	0.52	1.32	0.10	953
Liver & Bile duct	16	17	0.42	0.69	0.77	0.39	1.14	0.10	1019
Skin other	16	17	0.42	0.70	0.84	0.44	1.24	0.08	1261
Naso-Oropharynx	12	13	0.31	0.51	0.51	0.22	0.80	0.06	1604
Anus	10	10	0.25	0.42	0.43	0.16	0.70	0.06	1715
Eye	13	14	0.34	0.55	0.53	0.24	0.82	0.05	1830
Hodgkin lymphoma	18	19	0.47	0.77	0.71	0.39	1.03	0.05	1996
Vagina	10	10	0.26	0.43	0.45	0.17	0.73	0.04	2250
Bone	11	12	0.29	0.49	0.54	0.23	0.85	0.04	2461
Mesothelioma	6	6	0.15	0.24	0.28	0.05	0.50	0.03	2996
Small intestine	6	6	0.15	0.25	0.23	0.05	0.41	0.02	4722
Salivary gland	9	9	0.23	0.38	0.38	0.13	0.63	0.02	4741
Lip	3	3	0.08	0.13	0.14	-0.02	0.29	0.02	6053
Burkitt lymphoma	6	6	0.15	0.25	0.24	0.05	0.44	0.02	6270
Haematology other	5	5	0.13	0.22	0.20	0.03	0.37	0.02	6522
Endocrine	1	1	0.03	0.04	0.06	-0.05	0.16	0.01	7317
Placenta	2	2	0.05	0.08	0.06	-0.02	0.14	0.01	19832
Gum	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Ill defined	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
*TOTALS	3948	4056	100.00	127.80	135.51	130.68	140.34	15.17	7

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013
COLOURED MALE**

SITE	N(OBS)	N(ADI)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	750	792	18.97	34.33	53.13	49.31	56.94	6.58	15
BCC	929	934	22.37	40.49	59.80	55.75	63.85	6.47	15
Lung	344	361	8.65	15.66	20.78	18.56	23.01	2.84	35
SCC of skin	357	371	8.89	16.08	25.63	22.88	28.37	2.47	41
Colorectal	223	234	5.61	10.16	14.41	12.46	16.36	1.76	57
Primary site unknown	215	234	5.61	10.15	12.85	11.11	14.59	1.61	62
Bladder	145	150	3.58	6.48	9.79	8.15	11.43	1.18	85
Stomach	137	141	3.38	6.12	8.47	7.00	9.95	0.90	111
Oesophagus	101	110	2.65	4.79	6.30	5.05	7.54	0.77	131
Non Hodgkin lymphoma	85	88	2.12	3.84	4.84	3.77	5.92	0.52	192
Melanoma	71	71	1.71	3.09	4.26	3.22	5.30	0.46	219
Kidney	60	62	1.48	2.68	3.38	2.51	4.25	0.39	254
Larynx	53	57	1.36	2.46	3.19	2.32	4.05	0.37	271
Tongue	49	51	1.23	2.22	2.66	1.91	3.41	0.31	322
Mouth	41	45	1.07	1.94	2.39	1.65	3.13	0.27	364
Naso-Oropharynx	35	37	0.88	1.59	2.11	1.40	2.82	0.25	397
Skin other	27	29	0.69	1.25	1.62	1.01	2.24	0.24	424
Leukaemia	43	46	1.10	1.98	2.38	1.65	3.11	0.23	441
Other specified	20	21	0.50	0.90	1.20	0.67	1.74	0.19	521
Connective tissue	26	27	0.66	1.19	1.49	0.90	2.08	0.18	562
Pancreas	22	23	0.55	0.99	1.36	0.78	1.95	0.18	567
Mesothelioma	17	17	0.41	0.74	1.06	0.54	1.58	0.16	615
Kaposi Sarcoma	43	45	1.07	1.93	1.82	1.24	2.40	0.14	709
Myeloma	20	21	0.51	0.92	1.14	0.64	1.64	0.13	761
Liver & Bile duct	27	29	0.70	1.26	1.61	0.99	2.24	0.13	779
Brain, CNS	24	25	0.59	1.08	1.22	0.73	1.72	0.13	798
Hodgkin lymphoma	32	34	0.81	1.47	1.35	0.87	1.82	0.12	804
Breast	12	12	0.30	0.54	0.73	0.31	1.16	0.11	876
Thyroid	15	15	0.36	0.66	0.70	0.33	1.06	0.08	1188
Penis	8	8	0.19	0.35	0.51	0.15	0.87	0.07	1444
Anus	12	12	0.30	0.54	0.66	0.28	1.04	0.07	1447
Small intestine	11	12	0.28	0.50	0.64	0.24	1.04	0.06	1560
Testis	18	18	0.44	0.80	0.70	0.38	1.03	0.05	1954
Salivary gland	9	9	0.22	0.40	0.49	0.17	0.81	0.05	2219
Lip	6	6	0.14	0.26	0.28	0.04	0.51	0.04	2681
Eye	9	9	0.22	0.41	0.49	0.15	0.84	0.03	3309
Bone	7	7	0.17	0.31	0.32	0.08	0.56	0.03	3806
Haematology other	3	3	0.07	0.13	0.15	-0.03	0.34	0.02	5753
Burkitt lymphoma	5	5	0.12	0.23	0.20	0.03	0.37	0.01	7731
Endocrine	2	2	0.05	0.09	0.11	-0.04	0.25	0.01	8799
Gum	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
Ill defined	0	0	0.00	0.00	0.00	0.00	0.00	0.00	-
*TOTALS	4013	4176	100.00	124.44	170.80	164.27	177.32	20.68	5

NOTES:
N(OBS) Number of new cases with sex known
N(ADI) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013
WHITE FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	5532	5534	34.86	234.19	131.78	128.10	135.46	13.67	7
Breast	3239	3331	20.98	140.95	86.33	83.25	89.41	9.03	11
SCC of skin	1852	1889	11.90	79.95	36.79	35.05	38.54	3.77	27
Colorectal	776	805	5.07	34.08	18.15	16.82	19.47	2.04	49
Cervix	480	485	3.06	20.54	15.35	13.93	16.78	1.45	69
Melanoma	500	506	3.18	21.40	13.79	12.51	15.08	1.39	72
Primary site unknown	444	468	2.95	19.80	10.85	9.81	11.88	1.29	78
Lung	420	443	2.79	18.73	10.14	9.16	11.12	1.28	78
Uterus	292	306	1.92	12.93	7.12	6.30	7.95	0.90	111
Ovary	202	210	1.32	8.88	5.61	4.79	6.42	0.62	162
Non Hodgkin lymphoma	228	234	1.47	9.91	5.73	4.94	6.52	0.61	163
Thyroid	190	192	1.21	8.14	6.51	5.54	7.47	0.59	169
Bladder	141	150	0.94	6.34	3.07	2.56	3.58	0.36	275
Stomach	119	124	0.78	5.26	2.87	2.33	3.40	0.31	321
Leukaemia	87	91	0.57	3.84	3.12	2.34	3.90	0.25	394
Kidney	89	91	0.57	3.86	2.40	1.82	2.98	0.25	404
Pancreas	88	90	0.57	3.82	2.06	1.62	2.50	0.24	418
Skin other	74	79	0.50	3.35	2.04	1.54	2.53	0.22	454
Connective tissue	64	70	0.44	2.96	2.20	1.60	2.80	0.21	485
Brain, CNS	60	62	0.39	2.61	2.02	1.46	2.59	0.20	490
Mouth	69	73	0.46	3.08	1.59	1.20	1.97	0.20	492
Oesophagus	59	63	0.40	2.67	1.46	1.08	1.83	0.16	634
Liver & Bile duct	56	59	0.37	2.50	1.32	0.94	1.70	0.15	663
Vulva	52	53	0.33	2.24	1.40	0.99	1.81	0.14	700
Tongue	51	52	0.33	2.21	1.30	0.93	1.67	0.14	739
Other specified	43	45	0.29	1.92	1.11	0.76	1.46	0.13	766
Myeloma	45	47	0.30	1.98	1.10	0.77	1.43	0.13	770
Hodgkin lymphoma	33	35	0.22	1.48	1.48	0.97	2.00	0.12	827
Kaposi Sarcoma	34	34	0.22	1.45	1.39	0.89	1.88	0.11	915
Naso-Oropharynx	28	29	0.18	1.23	0.73	0.46	1.00	0.10	1050
Larynx	26	27	0.17	1.16	0.65	0.40	0.91	0.09	1153
Mesothelioma	31	31	0.20	1.31	0.66	0.41	0.91	0.08	1194
Salivary gland	25	26	0.16	1.10	0.73	0.42	1.04	0.07	1484
Anus	29	30	0.19	1.26	0.73	0.45	1.01	0.07	1491
Bone	19	21	0.13	0.87	0.76	0.39	1.14	0.07	1493
Vagina	17	18	0.11	0.75	0.43	0.23	0.63	0.06	1637
Lip	12	13	0.08	0.53	0.29	0.12	0.45	0.04	2494
Small intestine	14	14	0.09	0.60	0.30	0.14	0.47	0.04	2577
Haematology other	10	11	0.07	0.45	0.31	0.10	0.51	0.04	2727
Eye	10	10	0.07	0.44	0.44	0.12	0.76	0.04	2793
Endocrine	12	13	0.08	0.53	0.56	0.20	0.92	0.03	2911
Burkitt lymphoma	7	7	0.04	0.30	0.39	0.08	0.69	0.02	4068
Placenta	4	4	0.03	0.17	0.19	0.00	0.39	0.01	7418
Ill defined	1	1	0.01	0.05	0.03	-0.02	0.09	0.00	24186
Gum	1	1	0.01	0.05	0.03	-0.03	0.09	0.00	27790
*TOTALS	15565	15876	100.00	357.74	218.72	213.73	223.71	23.28	4

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2013

WHITE MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	7821	7823	38.73	349.34	224.17	219.14	229.19	21.91	5
Prostate	2968	3114	15.42	139.06	84.29	81.33	87.26	10.55	9
SCC of skin	3048	3132	15.50	139.86	86.25	83.21	89.28	8.70	11
Colorectal	991	1041	5.15	46.47	29.04	27.26	30.83	3.32	30
Lung	610	636	3.15	28.41	17.74	16.35	19.14	2.13	47
Melanoma	660	663	3.28	29.62	19.73	18.19	21.26	2.12	47
Bladder	605	623	3.09	27.83	16.85	15.52	18.18	1.84	54
Primary site unknown	456	482	2.39	21.55	14.12	12.83	15.42	1.60	62
Stomach	322	332	1.64	14.82	9.46	8.43	10.50	1.08	93
Non Hodgkin lymphoma	247	254	1.26	11.34	7.71	6.74	8.69	0.81	123
Kidney	175	180	0.89	8.04	5.22	4.44	6.00	0.63	160
Oesophagus	147	156	0.77	6.98	4.31	3.63	4.99	0.56	178
Larynx	134	141	0.70	6.30	3.91	3.26	4.56	0.54	185
Mouth	107	114	0.57	5.11	3.20	2.61	3.79	0.41	241
Skin other	132	141	0.70	6.30	4.04	3.36	4.71	0.41	247
Brain, CNS	106	110	0.54	4.90	4.05	3.22	4.89	0.38	265
Leukaemia	110	114	0.56	5.09	4.05	3.23	4.86	0.35	282
Pancreas	92	95	0.47	4.25	2.57	2.05	3.10	0.34	298
Tongue	94	98	0.48	4.37	2.76	2.20	3.31	0.31	319
Testis	93	95	0.47	4.23	4.09	3.24	4.94	0.31	322
Naso-Oropharynx	83	87	0.43	3.89	2.52	1.98	3.06	0.31	327
Liver & Bile duct	72	77	0.38	3.45	2.27	1.74	2.79	0.25	400
Thyroid	66	67	0.33	2.99	2.11	1.59	2.63	0.25	400
Hodgkin lymphoma	57	59	0.29	2.61	2.29	1.68	2.91	0.21	468
Connective tissue	66	70	0.35	3.11	2.36	1.77	2.94	0.21	480
Myeloma	48	51	0.25	2.28	1.43	1.03	1.83	0.19	516
Mesothelioma	63	63	0.31	2.81	1.65	1.24	2.06	0.19	522
Other specified	46	48	0.24	2.12	1.37	0.97	1.77	0.18	554
Lip	41	41	0.20	1.83	1.23	0.84	1.61	0.13	750
Kaposi Sarcoma	40	41	0.20	1.81	1.57	1.08	2.06	0.13	770
Salivary gland	34	35	0.17	1.57	1.07	0.70	1.44	0.12	842
Breast	36	37	0.18	1.66	1.06	0.72	1.41	0.11	874
Penis	34	34	0.17	1.52	1.00	0.66	1.34	0.11	946
Bone	26	27	0.13	1.19	1.12	0.67	1.58	0.08	1197
Anus	25	26	0.13	1.15	0.72	0.44	1.01	0.08	1219
Small intestine	22	23	0.11	1.03	0.68	0.40	0.96	0.08	1232
Haematology other	21	22	0.11	0.96	0.83	0.44	1.23	0.07	1441
Eye	23	24	0.12	1.07	0.83	0.47	1.20	0.06	1560
Burkitt lymphoma	9	9	0.05	0.42	0.41	0.13	0.68	0.03	3092
Gum	6	7	0.03	0.31	0.19	0.05	0.32	0.03	3715
Endocrine	7	7	0.04	0.33	0.46	0.10	0.81	0.03	3759
Ill defined	1	1	0.01	0.06	0.04	-0.03	0.11	0.01	17537
*TOTALS	19744	20201	100.00	412.86	264.39	258.90	269.88	30.56	3

NOTES:
N(OBS) Number of new cases with sex known
N(ADJ) New cases include pro rata allocated with sex and population group unknown
% Percentage of all cancers
CRUDE Adjusted cases per 100 000/year
ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) per 100 person-years
LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.04	0.00	0.09	0.66	1.00	0.49	0.74	1.24	1.93	1.48	1.49	0.47	1.62	2.15
BCC	0.00	0.00	0.00	0.31	0.53	1.76	5.87	11.68	21.12	30.21	45.12	71.27	100.99	122.74	172.25	214.34	376.84
Bladder	0.04	0.00	0.00	0.00	0.08	0.09	0.28	0.42	0.30	1.11	1.96	3.52	5.43	5.13	9.86	13.28	15.50
Bone	0.12	0.16	0.40	0.55	0.20	0.13	0.24	0.10	0.24	0.07	0.57	0.10	0.51	0.57	0.60	0.63	0.84
Brain, CNS	0.38	0.32	0.20	0.19	0.08	0.34	0.32	0.72	0.41	0.51	0.80	1.20	1.79	2.13	2.20	0.94	0.83
Breast	0.00	0.00	0.00	0.08	0.86	4.06	12.91	26.06	45.92	70.32	78.65	94.58	125.46	116.96	138.74	151.65	235.62
Burkitt lymphoma	0.15	0.04	0.12	0.04	0.04	0.26	0.75	0.57	0.66	0.59	0.41	0.30	0.13	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.04	0.16	0.78	6.52	18.16	33.82	40.75	53.81	58.02	66.97	65.57	54.57	65.50	65.78	86.29
Colorectal	0.00	0.00	0.04	0.12	0.20	0.78	1.31	2.35	5.35	8.42	11.47	19.96	20.93	30.48	36.90	40.54	82.59
Connective tissue	0.70	0.28	0.24	0.28	0.37	0.26	0.57	0.63	1.03	1.11	1.89	1.63	2.48	2.46	4.49	2.57	5.52
Endocrine	0.15	0.04	0.20	0.04	0.08	0.08	0.00	0.05	0.06	0.07	0.24	0.10	0.00	0.00	0.20	0.00	0.83
Eye	0.71	0.12	0.04	0.04	0.21	1.54	3.06	3.51	4.36	2.92	1.00	0.93	1.46	0.73	1.23	0.98	1.28
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.05	0.00	0.00	0.16	0.10	0.38	0.14	0.00	0.31	0.00
Haematology other	0.15	0.08	0.08	0.04	0.12	0.13	0.14	0.10	0.00	0.00	0.00	0.20	0.13	0.57	0.60	0.31	0.00
Hodgkin lymphoma	0.00	0.16	0.16	0.39	0.77	1.24	1.07	1.55	1.14	1.10	0.97	0.40	0.26	1.00	0.61	0.32	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.13	0.14	0.00	0.00	0.42
Kaposi Sarcoma	0.08	0.12	0.20	0.40	2.85	5.43	7.21	7.13	5.13	3.58	2.32	2.16	1.05	1.31	0.83	0.63	0.86
Kidney	1.52	0.87	0.12	0.12	0.20	0.17	0.09	0.31	0.95	0.51	2.49	2.79	2.56	2.13	4.20	5.97	3.33
Larynx	0.00	0.00	0.00	0.00	0.04	0.00	0.05	0.16	0.18	0.51	0.57	2.32	2.20	2.14	2.01	1.90	2.94
Leukaemia	1.09	0.57	0.24	0.28	0.67	0.79	0.48	0.96	1.03	0.97	1.65	2.55	2.35	2.48	2.63	5.11	6.78
Lip	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.18	0.00	0.16	0.10	0.26	0.71	1.00	0.00	1.25
Liver & Bile duct	0.12	0.04	0.00	0.00	0.08	0.22	0.24	0.47	0.67	0.66	1.93	1.93	1.75	3.00	5.07	4.44	6.31
Lung	0.00	0.00	0.00	0.04	0.00	0.04	0.28	1.08	1.55	3.93	8.48	13.33	18.52	21.52	29.16	24.94	21.78
Melanoma	0.00	0.00	0.00	0.16	0.41	0.43	1.45	2.18	3.37	4.64	5.63	8.12	8.72	8.33	14.04	18.62	39.91
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.06	0.07	0.40	0.90	0.51	1.13	2.40	2.83	2.50
Mouth	0.00	0.00	0.00	0.04	0.04	0.13	0.09	0.37	0.12	0.96	1.88	2.84	3.76	3.17	4.65	3.81	9.30
Myeloma	0.00	0.00	0.00	0.00	0.00	0.05	0.14	0.11	0.49	1.12	1.34	2.47	2.14	2.99	4.59	2.96	3.05
Naso-Oropharynx	0.04	0.00	0.12	0.12	0.08	0.08	0.09	0.41	0.30	0.94	0.80	1.40	2.05	1.28	1.60	0.94	0.42
Non Hodgkin lymphoma	0.12	0.16	0.20	0.48	0.57	1.72	3.51	4.63	5.01	6.02	4.74	6.68	8.17	8.97	10.36	9.58	21.92
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.09	0.33	0.49	1.13	4.20	6.81	8.45	12.89	9.88	18.62	16.98	28.26
Other specified	0.04	0.04	0.00	0.12	0.08	0.13	0.18	0.31	0.47	0.87	1.13	2.19	1.92	2.55	2.40	1.57	3.75
Ovary	0.04	0.16	0.04	0.23	0.41	0.78	0.52	1.09	1.75	2.42	4.43	5.29	8.32	7.93	9.54	6.69	8.83
Pancreas	0.00	0.04	0.00	0.00	0.00	0.00	0.05	0.26	0.18	0.60	1.39	2.23	3.49	3.17	3.83	4.76	4.16
Placenta	0.00	0.00	0.00	0.16	0.37	0.26	0.38	0.37	0.18	0.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.20	0.08	0.04	0.32	0.30	1.29	2.37	3.33	6.19	9.51	12.90	22.22	31.66	33.77	38.99	39.58	59.96
SCC of skin	0.00	0.00	0.08	0.00	0.24	0.86	1.50	2.49	3.66	5.64	11.22	17.25	27.68	46.43	69.25	114.05	278.65
Salivary gland	0.00	0.04	0.04	0.12	0.12	0.26	0.19	0.27	0.37	0.52	0.33	0.71	0.77	0.87	1.87	2.22	2.12
Skin other	0.04	0.08	0.08	0.16	0.08	0.31	0.57	0.59	0.49	1.58	0.91	1.33	2.20	3.32	3.27	4.52	7.64
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.15	0.12	0.51	0.24	0.70	0.64	1.42	2.00	2.20	1.25
Stomach	0.00	0.00	0.00	0.08	0.04	0.31	0.24	0.58	1.29	2.40	3.87	5.06	5.88	7.56	8.39	14.45	16.17
Thyroid	0.00	0.00	0.04	0.27	0.32	1.27	1.43	2.46	2.66	3.62	3.46	3.79	4.86	2.84	4.20	3.46	2.91
Tongue	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.10	0.42	1.39	1.39	2.43	2.46	2.33	1.62	3.21	3.80
Uterus	0.00	0.00	0.04	0.04	0.04	0.09	0.38	0.79	1.39	4.13	6.88	15.19	26.13	31.53	39.67	29.80	35.34
Vagina	0.04	0.00	0.00	0.00	0.09	0.23	0.54	0.49	0.57	1.21	2.21	1.48	1.22	2.39	2.69	2.65	1.75
Vulva	0.00	0.00	0.05	0.00	0.25	1.13	1.88	2.41	2.43	2.99	1.66	2.25	3.55	2.93	3.26	3.88	7.58
All sites excluding BCC and SCC	5.73	3.41	2.73	5.09	10.83	30.93	62.24	102.41	139.38	200.99	237.53	312.82	386.18	387.98	484.27	496.63	735.76

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.04	0.00	0.31	0.31	0.38	0.81	1.31	1.18	2.55	2.59	3.95	4.26	1.87
BCC	0.00	0.00	0.04	0.19	0.88	2.10	5.86	11.96	29.91	47.66	74.47	127.02	198.77	322.40	432.46	617.83	900.00
Bladder	0.08	0.00	0.00	0.00	0.04	0.17	0.23	0.31	1.07	2.78	6.24	13.28	19.38	36.27	56.65	81.30	127.80
Bone	0.07	0.16	0.47	0.70	0.43	0.17	0.13	0.15	0.25	0.24	0.38	0.47	0.64	0.24	0.36	1.82	0.00
Brain, CNS	0.57	0.67	0.16	0.23	0.36	0.33	0.45	0.20	1.26	0.98	2.35	1.89	3.04	4.73	3.95	3.65	2.81
Breast	0.00	0.00	0.00	0.00	0.00	0.09	0.05	0.38	0.79	1.02	1.47	2.72	4.33	3.93	6.40	7.65	6.88
Burkitt lymphoma	0.11	0.27	0.20	0.04	0.08	0.04	0.40	0.61	0.82	0.65	0.47	0.59	0.16	0.24	0.00	0.00	0.00
Colorectal	0.00	0.00	0.08	0.19	0.28	0.93	1.60	3.16	4.83	8.01	17.68	27.50	43.78	74.98	86.26	114.02	144.20
Connective tissue	0.27	0.16	0.12	0.66	0.76	0.42	0.86	0.77	0.89	1.32	2.47	2.74	4.50	5.02	5.42	9.16	8.48
Endocrine	0.15	0.04	0.12	0.15	0.00	0.00	0.00	0.05	0.06	0.00	0.00	0.12	0.16	0.24	0.00	0.00	0.00
Eye	0.86	0.16	0.08	0.00	0.08	0.61	1.55	2.78	3.29	2.82	2.36	1.35	1.82	1.73	1.87	3.68	3.84
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.09	0.37	0.98	0.24	0.36	0.81	0.00
Haematology other	0.11	0.23	0.04	0.19	0.12	0.08	0.04	0.10	0.00	0.16	0.19	0.35	0.32	0.47	1.44	1.82	1.87
Hodgkin lymphoma	0.11	0.40	0.64	0.71	0.80	1.18	1.42	1.61	1.79	1.82	2.01	1.68	1.46	1.92	2.57	0.62	0.94
Ill defined	0.00	0.00	0.00	0.04	0.04	0.00	0.00	0.00	0.00	0.18	0.10	0.13	0.00	0.26	0.40	0.00	1.04
Kaposi Sarcoma	0.08	0.00	0.29	0.32	0.70	4.29	9.37	11.83	10.53	8.31	5.88	3.07	2.83	2.71	3.36	0.64	7.70
Kidney	1.07	0.28	0.04	0.04	0.16	0.13	0.23	0.31	1.14	2.29	4.35	5.71	8.34	9.49	11.53	11.01	11.25
Larynx	0.00	0.00	0.00	0.00	0.04	0.04	0.05	0.27	0.58	2.65	5.78	8.86	15.95	16.77	24.30	17.80	14.71
Leukaemia	1.16	1.49	0.61	0.83	0.53	0.64	0.55	0.63	1.03	2.18	1.92	2.66	4.40	5.78	6.60	13.05	11.41
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.35	0.52	0.27	0.66	1.17	1.00	1.18	2.26	1.82	2.81
Liver & Bile duct	0.08	0.16	0.08	0.04	0.04	0.34	0.47	1.07	1.43	2.30	2.71	3.51	6.04	7.30	9.21	9.30	18.11
Lung	0.04	0.00	0.04	0.04	0.00	0.04	0.45	0.83	3.68	12.28	20.17	37.02	53.89	61.50	75.48	69.91	68.01
Melanoma	0.04	0.04	0.00	0.08	0.28	0.42	0.99	1.64	3.16	4.91	6.05	10.44	16.54	31.62	33.65	39.19	78.27
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.06	0.49	0.57	2.03	3.39	4.51	9.03	13.42	6.57
Mouth	0.00	0.04	0.04	0.00	0.16	0.09	0.14	0.27	0.59	2.50	4.99	6.28	11.07	11.85	11.74	6.19	15.28
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.21	0.77	0.83	1.34	2.66	3.46	5.09	8.14	7.48	4.85
Naso-Oropharynx	0.00	0.00	0.16	0.16	0.12	0.13	0.19	0.37	0.84	1.15	4.33	6.27	7.96	6.72	9.16	6.16	7.66
Non Hodgkin lymphoma	0.12	0.08	0.44	0.51	0.48	1.44	2.93	4.58	6.33	8.29	7.94	10.67	14.22	13.37	19.27	19.64	37.78
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.09	0.33	0.75	1.86	4.45	12.13	17.70	23.55	26.19	32.89	31.76	50.06
Other specified	0.00	0.08	0.04	0.04	0.00	0.08	0.14	0.26	0.76	0.82	1.42	3.20	3.20	6.17	6.13	4.89	1.88
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.25	0.73	2.35	4.00	5.74	5.43	8.98	7.91	4.68
Penis	0.00	0.00	0.00	0.00	0.00	0.04	0.62	0.75	1.77	1.61	2.16	1.46	2.32	3.59	3.29	5.60	4.68
Primary site unknown	0.28	0.16	0.16	0.36	0.62	0.82	1.23	2.93	6.29	14.01	21.33	29.57	40.53	49.76	65.68	53.40	74.57
Prostate	0.00	0.00	0.00	0.04	0.00	0.04	0.05	0.36	2.67	11.33	42.21	100.06	195.96	343.72	439.43	465.67	571.60
SCC of skin	0.00	0.08	0.04	0.04	0.36	0.38	0.82	2.75	6.80	13.50	25.55	40.74	73.76	135.85	225.39	337.98	673.78
Salivary gland	0.00	0.00	0.08	0.00	0.04	0.12	0.18	0.10	0.31	0.65	1.22	1.06	2.23	2.59	3.23	5.47	3.74
Skin other	0.08	0.04	0.00	0.08	0.04	0.38	0.50	0.68	0.96	1.82	1.81	3.11	6.13	4.77	10.14	11.07	34.01
Small intestine	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.44	0.50	0.48	0.96	1.78	2.15	2.20	1.26	5.66
Stomach	0.00	0.00	0.00	0.04	0.00	0.17	0.50	0.88	2.37	4.89	6.96	12.69	19.11	22.36	33.15	32.71	64.46
Testis	0.15	0.08	0.08	0.35	0.56	1.13	1.05	0.77	1.27	1.41	0.86	0.48	0.81	0.24	0.36	0.61	0.00
Thyroid	0.00	0.00	0.00	0.04	0.12	0.17	0.47	0.48	0.84	1.18	1.15	2.06	2.47	3.83	4.04	0.61	0.94
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.37	0.58	2.24	5.67	7.59	10.28	6.04	7.02	6.23	6.71
All sites excluding BCC and SCC	5.47	4.55	3.98	5.91	6.92	14.66	27.77	41.29	66.46	114.99	203.58	338.66	546.30	787.59	1009.93	1071.59	1407.11

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: ASIAN FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00	0.11	0.00	4.43	6.31	9.14	0.00	0.00	
BCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.78	1.93	8.56	0.00	25.73	5.82	16.94	24.13	34.93	32.78	88.37
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	1.77	1.76	0.00	0.11	0.12	2.81	9.09	7.92	14.32	21.09	1.12	15.32
Bone	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brain, CNS	0.06	0.00	0.06	0.00	1.84	0.00	0.00	0.00	0.06	2.12	0.00	0.00	0.00	6.70	0.00	0.00	0.00	0.43
Breast	0.00	0.00	0.00	0.00	0.00	9.36	20.35	33.45	59.23	102.70	104.39	151.34	146.38	187.21	268.53	185.34	337.99	
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.00	0.00	0.04	7.47	8.15	15.76	31.76	13.58	15.34	17.92	25.36	29.28	11.98	31.18
Colorectal	0.00	0.00	0.00	2.00	0.00	1.82	2.07	3.92	11.30	9.65	14.37	24.25	35.09	90.15	46.10	44.93	112.14	
Connective tissue	0.11	0.00	0.06	0.00	1.84	0.00	0.20	0.05	2.36	0.13	2.55	3.12	0.00	0.14	7.11	0.00	0.00	14.98
Endocrine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Eye	0.00	0.02	0.00	0.00	0.00	0.06	0.06	1.96	4.34	2.33	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.78	0.00	0.00	0.00	2.55	2.88	3.35	0.00	0.00	10.81	0.00	0.00
Haematology other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.00	1.97	0.10	0.18	3.55	3.96	2.36	0.00	2.71	0.00	0.00	9.90	0.00	0.00	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	3.69	0.00	0.01	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
Kidney	2.12	2.14	0.00	0.00	0.09	1.77	0.00	0.00	0.31	0.00	7.76	2.88	6.70	0.00	20.73	0.00	0.00	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	5.85	0.00	0.15	0.22	0.34	0.00	14.57
Leukaemia	6.16	0.05	0.00	0.09	0.04	0.00	0.00	0.00	0.00	2.30	0.06	0.00	3.51	0.11	0.00	0.00	0.00	14.92
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.77	0.33	0.00	0.00	0.00
Liver & Bile duct	0.00	0.06	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	3.86	0.07	5.08	0.12	0.00	0.00	0.00	0.00
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.07	2.42	0.49	18.45	20.87	20.23	20.10	29.11	23.91	0.00	1.03
Melanoma	0.00	0.00	0.00	0.00	1.84	0.00	0.00	1.91	2.12	2.33	2.59	3.04	0.06	14.32	7.04	21.61	0.00	14.83
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.82	0.00	0.00	0.00
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	1.77	0.00	0.00	0.00	7.68	0.35	3.98	14.39	7.37	10.86	0.00	17.31
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.92	0.00	0.00	0.00	0.00	0.05	0.07	7.25	0.00	0.00	0.00
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	2.65	5.76	0.28	0.00	6.91	0.00	0.00	0.00
Non Hodgkin lymphoma	0.00	0.00	0.00	2.16	0.00	0.10	0.05	0.05	7.10	0.13	2.96	3.44	4.09	31.99	15.70	23.94	0.00	16.55
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.06	0.11	2.32	5.28	0.22	9.52	7.46	0.43	6.26	19.00	0.69	0.00	38.19
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.08	2.97	0.10	9.69	7.13	0.34	0.00	0.00
Ovary	0.00	0.00	0.00	0.00	4.01	3.84	1.91	0.00	2.30	2.90	11.52	16.17	4.64	20.75	1.23	11.75	0.00	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	5.09	2.88	3.53	9.54	7.28	11.39	0.00	0.00
Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	2.05	0.00	0.00	0.09	0.09	1.79	2.04	6.19	4.71	10.09	11.57	33.14	84.90	55.37	58.80	57.47	0.00	47.90
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.02	0.00	5.75	0.04	4.63	2.61	14.51	6.82	5.06	27.84	11.19	0.00	31.05
Salivary gland	0.00	0.00	0.00	0.00	0.00	3.54	0.00	0.00	0.21	0.00	0.00	2.88	0.00	6.91	0.55	0.00	0.00	0.00
Skin other	0.07	0.00	0.00	0.07	0.00	1.78	1.77	0.00	0.07	2.62	2.56	2.90	0.12	4.96	0.00	0.00	0.00	1.00
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.12	0.00	0.00	2.88	0.00	0.00	0.48	10.81	0.00	14.57
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.16	0.13	7.05	10.55	3.07	13.47	20.07	15.17	44.11	0.00	15.54
Thyroid	0.00	0.00	0.00	0.00	3.69	3.89	3.51	5.73	6.49	6.88	5.09	5.95	6.70	9.54	20.73	0.00	0.00	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	2.46	5.47	6.52	3.98	20.52	7.43	23.24	0.00	0.00
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	3.66	4.11	6.62	5.08	11.12	40.57	47.43	62.56	55.02	82.46	0.00	34.24
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.34	0.11	0.12	0.00	4.97	6.91	0.00	0.00	0.00
Vulva	0.00	0.00	2.47	0.00	2.10	0.00	0.00	0.00	2.76	7.84	5.80	0.00	7.82	10.88	7.88	12.90	0.00	0.79
All sites excluding BCC and SCC	10.58	2.27	2.59	6.38	19.34	30.00	51.22	76.24	140.54	199.64	267.57	375.79	438.91	654.53	703.68	590.53	0.00	743.47

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: ASIAN MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.70	0.00	2.22	2.59	0.19	3.88	5.65	9.53	0.00	1.61
BCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.75	0.00	9.16	13.36	28.74	32.04	40.87	37.08	115.99	54.19
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	2.04	2.32	13.69	29.48	21.28	37.22	29.55	104.07	142.67
Bone	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brain, CNS	0.24	2.10	0.00	0.00	0.07	1.62	1.56	0.00	0.00	2.22	2.69	0.12	3.88	5.88	8.98	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	1.95	0.00	2.59	0.08	7.96	0.00	0.00	0.00	0.70
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.03	0.00	0.02	0.02	0.00	0.00	0.00	3.09	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.00	0.29	1.76	12.21	8.45	7.12	42.29	54.77	53.03	103.53	126.49	120.19	255.86
Connective tissue	0.09	0.00	0.00	2.12	3.68	1.62	1.56	1.78	0.00	2.22	2.59	3.39	8.13	0.27	10.27	0.00	1.26
Endocrine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Eye	2.03	0.00	0.00	0.00	0.00	0.00	3.11	0.07	2.03	0.00	0.07	0.04	0.00	0.00	0.00	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Haematology other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65	0.00	0.00	0.00	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.09	0.08	0.00	1.69	4.67	0.07	2.03	2.31	2.59	3.09	7.76	0.00	0.37	0.00	26.24
Ill defined	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	2.88	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.03	3.86	1.75	5.14	3.76	0.03	9.57	2.86	0.00	0.00	0.00	0.00	0.00	0.00
Kidney	0.12	2.22	0.00	0.00	0.00	0.00	3.28	0.00	0.11	2.34	11.06	16.66	8.63	12.58	0.53	16.91	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	2.67	3.12	7.66	14.02	0.77	22.25	19.88	31.62
Leukaemia	0.05	2.16	0.00	4.03	1.80	0.04	1.67	0.00	0.00	0.05	2.60	0.00	3.99	5.68	0.00	0.00	0.00
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Liver & Bile duct	0.07	0.00	0.00	0.00	0.07	0.06	1.68	0.00	0.07	0.08	10.68	3.22	4.47	6.10	18.69	0.00	0.00
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.07	1.70	6.02	13.82	21.79	29.55	49.43	104.46	112.34	98.58	54.93
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.70	0.00	0.00	0.00	3.11	3.88	0.03	0.06	0.00	26.40
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.65	17.95	0.00	0.00
Mouth	0.00	0.00	0.00	0.00	0.00	0.05	0.00	2.00	4.34	0.00	0.24	7.10	0.49	13.15	11.43	0.00	1.65
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.10	0.00	5.18	3.40	0.39	11.59	18.41	0.00	0.00
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.04	2.69	6.24	0.30	11.31	0.17	0.00	0.50
Non Hodgkin lymphoma	0.00	0.00	0.00	0.00	0.05	0.09	1.62	0.15	4.18	11.70	5.55	16.31	12.37	12.29	19.00	0.47	28.91
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.02	1.56	0.00	0.06	2.24	2.77	0.22	4.12	12.06	9.17	16.87	1.06
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.89	0.00	0.00	0.13	8.07	5.88	8.98	0.65	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.32	0.00	0.29	7.94	5.65	36.33	0.00	1.23
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.22	0.00	0.00	0.00	16.96	8.98	16.05	0.00
Primary site unknown	2.21	0.00	0.00	0.00	0.17	0.23	1.82	5.80	6.73	10.67	15.61	28.20	44.80	98.37	70.10	108.05	31.89
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.72	0.00	7.13	27.47	40.73	123.02	226.57	340.85	256.87	397.44
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	1.99	2.25	5.32	0.08	7.91	22.96	37.11	33.29	108.05
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.10	3.88	5.84	0.00	16.05	0.00
Skin other	0.00	0.02	0.00	0.00	0.00	0.01	0.01	0.00	0.05	0.02	0.02	0.05	0.06	0.05	0.22	16.18	26.24
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95	0.00	2.59	0.10	0.00	0.19	0.00	0.00	0.87
Stomach	0.00	0.00	0.00	2.08	0.00	0.00	0.00	1.82	4.55	7.42	8.82	13.86	21.30	61.73	21.55	69.87	142.41
Testis	0.00	0.19	0.00	0.00	3.59	8.12	3.11	1.70	3.89	0.20	2.82	0.00	3.88	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.00	0.00	0.00	0.00	5.24	1.91	0.00	5.15	0.20	3.47	4.36	0.00	0.00	0.00	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	2.27	2.65	9.37	0.33	0.00	0.00	0.67	26.88
All sites excluding BCC and SCC	4.81	6.69	0.09	8.34	13.57	15.60	39.63	38.29	52.88	98.33	203.45	284.05	425.63	769.48	902.16	861.37	1200.37

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: BLACK FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.05	0.00	0.10	0.75	1.07	0.54	0.82	0.99	1.48	1.39	0.62	0.30	0.48	0.72
BCC	0.00	0.00	0.00	0.09	0.10	0.20	0.79	1.09	1.73	2.90	2.81	4.93	5.83	7.09	8.40	12.67	31.85
Bladder	0.00	0.00	0.00	0.00	0.05	0.05	0.23	0.26	0.33	1.06	1.57	1.48	3.04	1.25	2.78	4.17	5.33
Bone	0.09	0.14	0.34	0.48	0.10	0.05	0.26	0.07	0.27	0.10	0.41	0.00	0.00	0.00	0.30	0.27	0.72
Brain, CNS	0.33	0.28	0.21	0.14	0.00	0.25	0.17	0.34	0.07	0.30	0.11	0.58	0.58	0.20	0.58	0.47	0.25
Breast	0.00	0.00	0.00	0.10	0.69	3.03	9.24	17.60	29.43	43.71	46.28	57.77	71.60	51.31	63.86	70.25	130.36
Burkitt lymphoma	0.09	0.00	0.10	0.05	0.05	0.21	0.85	0.59	0.61	0.71	0.57	0.44	0.20	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.05	0.19	0.74	6.21	18.30	36.29	43.77	61.56	67.30	79.79	81.57	68.73	85.06	88.08	126.57
Colorectal	0.00	0.00	0.00	0.10	0.15	0.57	0.97	1.84	3.23	3.94	5.60	8.77	7.77	8.12	10.60	12.14	19.39
Connective tissue	0.65	0.10	0.17	0.24	0.25	0.21	0.42	0.57	0.79	1.14	1.73	1.29	1.60	1.37	2.85	1.45	3.32
Endocrine	0.09	0.05	0.19	0.05	0.00	0.07	0.00	0.00	0.07	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00
Eye	0.70	0.14	0.00	0.05	0.25	1.79	3.54	4.19	5.19	3.61	1.27	1.35	2.01	0.63	0.90	1.46	1.47
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.06	0.00	0.00	0.11	0.00	0.19	0.20	0.00	0.00	0.00
Haematology other	0.18	0.05	0.02	0.05	0.05	0.15	0.06	0.10	0.00	0.00	0.00	0.14	0.00	0.00	0.29	0.00	0.00
Hodgkin lymphoma	0.00	0.09	0.14	0.19	0.71	0.99	1.02	1.21	1.01	1.21	0.75	0.58	0.39	0.34	0.00	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.15	0.00	0.00	0.71
Kaposi Sarcoma	0.05	0.14	0.24	0.43	2.94	5.99	8.04	8.35	5.80	4.42	2.88	2.22	1.40	1.46	1.19	0.00	0.73
Kidney	1.45	0.89	0.14	0.14	0.17	0.15	0.06	0.26	0.63	0.50	1.06	1.16	1.94	0.40	0.87	0.94	0.71
Larynx	0.00	0.00	0.00	0.00	0.05	0.00	0.06	0.16	0.08	0.31	0.34	1.39	1.59	1.12	0.72	1.16	2.17
Leukaemia	0.56	0.56	0.15	0.19	0.63	0.75	0.47	0.87	0.39	0.83	0.76	1.51	1.42	1.80	0.91	1.96	3.33
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.14	0.00	0.20	0.36	0.00	0.71
Liver & Bile duct	0.05	0.03	0.00	0.00	0.10	0.26	0.24	0.53	0.62	0.51	1.98	1.87	1.42	1.16	3.57	1.93	3.64
Lung	0.00	0.00	0.00	0.05	0.00	0.00	0.19	0.67	0.61	2.07	2.93	5.24	8.09	6.66	10.11	5.48	9.66
Melanoma	0.00	0.00	0.00	0.05	0.10	0.05	0.24	0.27	0.71	1.28	1.08	2.52	2.69	1.28	4.01	8.38	16.50
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.45	0.58	0.39	0.40	0.29	0.47	1.41
Mouth	0.00	0.00	0.00	0.05	0.05	0.11	0.06	0.40	0.08	0.51	1.39	1.76	2.04	1.67	1.31	1.45	5.98
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.46	1.02	1.03	2.36	1.48	1.34	3.09	1.91	0.72
Naso-Oropharynx	0.04	0.00	0.14	0.14	0.10	0.10	0.11	0.32	0.22	0.85	0.62	0.87	0.98	1.01	0.29	0.94	0.00
Non Hodgkin lymphoma	0.14	0.19	0.10	0.33	0.59	1.87	3.57	5.13	4.99	5.89	4.01	4.23	5.19	3.32	3.87	1.90	7.60
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.10	0.33	0.54	0.99	4.10	7.54	10.12	15.84	10.64	22.63	20.84	35.25
Other specified	0.04	0.00	0.00	0.14	0.10	0.15	0.17	0.32	0.48	0.50	0.72	1.51	0.87	1.11	1.29	0.69	2.12
Ovary	0.05	0.14	0.05	0.05	0.25	0.57	0.29	0.46	1.30	0.82	1.96	1.93	5.31	2.69	5.64	1.44	3.62
Pancreas	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.45	0.48	0.77	0.87	1.08	0.68	1.10	0.00
Placenta	0.00	0.00	0.00	0.14	0.40	0.31	0.35	0.33	0.23	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.19	0.05	0.00	0.23	0.34	1.14	2.36	3.09	5.43	8.35	11.38	19.19	23.51	23.39	28.38	25.26	50.10
SCC of skin	0.00	0.00	0.10	0.00	0.25	0.89	1.31	2.04	1.47	2.26	3.01	4.35	4.84	3.28	11.00	17.42	32.40
Salivary gland	0.00	0.05	0.00	0.05	0.00	0.21	0.18	0.27	0.40	0.52	0.12	0.30	0.20	0.64	2.12	0.75	1.48
Skin other	0.02	0.10	0.05	0.12	0.05	0.27	0.47	0.61	0.27	1.45	0.59	0.76	0.50	1.16	1.52	2.96	3.65
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.13	0.07	0.40	0.34	0.29	0.77	1.41	1.90	0.94	0.71
Stomach	0.00	0.00	0.00	0.05	0.05	0.27	0.18	0.33	1.07	1.95	2.00	3.90	2.67	3.91	4.06	6.66	8.55
Thyroid	0.00	0.00	0.05	0.05	0.10	0.41	0.73	1.03	1.07	1.69	1.01	1.64	2.32	1.61	2.89	1.87	2.12
Tongue	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.40	0.40	0.90	1.20	1.22	0.40	1.15	2.34	0.00
Uterus	0.00	0.00	0.05	0.00	0.05	0.05	0.12	0.63	0.85	2.99	4.46	12.73	22.76	24.13	37.07	22.08	40.17
Vagina	0.05	0.00	0.00	0.00	0.10	0.27	0.66	0.55	0.72	1.04	2.47	1.79	1.45	2.51	1.86	3.01	2.27
Vulva	0.00	0.00	0.00	0.00	0.25	1.25	1.84	2.57	2.46	3.16	1.61	2.67	2.32	1.86	1.78	2.26	5.57
All sites excluding BCC and SCC	4.76	3.05	2.18	3.87	9.43	28.04	56.69	92.15	115.74	164.79	181.13	238.36	279.62	231.27	311.04	297.48	497.59

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: BLACK MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.05	0.00	0.27	0.32	0.49	0.80	0.68	0.98	1.27	2.31	4.55	3.06	0.94
BCC	0.00	0.00	0.00	0.00	0.19	0.15	0.44	1.03	2.00	2.80	4.13	5.74	15.14	23.85	28.07	33.12	51.14
Bladder	0.09	0.00	0.00	0.00	0.00	0.15	0.13	0.13	0.66	1.04	2.07	3.26	4.78	6.56	11.80	10.88	14.53
Bone	0.07	0.14	0.40	0.51	0.38	0.10	0.16	0.00	0.33	0.23	0.14	0.00	0.51	0.00	0.00	1.02	0.00
Brain, CNS	0.35	0.33	0.14	0.19	0.16	0.15	0.22	0.06	0.75	0.35	0.73	0.95	0.77	1.30	0.00	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.11	0.04	0.40	0.70	0.85	1.30	2.94	4.39	3.69	7.04	7.59	8.32
Burkitt lymphoma	0.13	0.23	0.14	0.05	0.04	0.05	0.42	0.49	1.07	0.69	0.54	0.71	0.25	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.05	0.05	0.15	0.76	1.09	1.92	2.90	5.64	9.73	11.89	17.27	24.23	26.18	29.26	34.52
Connective tissue	0.30	0.14	0.10	0.48	0.56	0.36	0.66	0.56	0.75	1.41	2.49	2.74	3.14	5.34	2.30	3.12	6.15
Endocrine	0.04	0.05	0.14	0.07	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Eye	0.87	0.10	0.05	0.00	0.10	0.68	1.66	3.18	4.03	3.87	3.11	1.47	2.13	2.44	2.54	1.08	3.54
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.13	1.19	0.00	0.00	1.36	0.00
Haematology other	0.09	0.14	0.05	0.19	0.05	0.05	0.05	0.06	0.00	0.11	0.05	0.35	0.00	0.00	0.00	0.00	0.00
Hodgkin lymphoma	0.09	0.47	0.51	0.46	0.72	0.94	1.27	1.27	1.47	1.94	1.80	1.08	0.77	0.79	0.38	0.00	0.00
Ill defined	0.00	0.00	0.00	0.05	0.04	0.00	0.00	0.00	0.00	0.26	0.00	0.20	0.00	0.00	0.67	0.00	1.87
Kaposi Sarcoma	0.09	0.00	0.30	0.38	0.69	4.53	9.91	13.77	12.61	10.21	8.06	4.07	4.24	4.44	4.41	1.07	7.04
Kidney	1.14	0.14	0.05	0.05	0.15	0.10	0.17	0.00	0.53	0.71	1.01	1.90	2.46	1.78	2.01	2.09	1.72
Larynx	0.00	0.00	0.00	0.00	0.05	0.05	0.06	0.27	0.28	2.39	4.85	7.20	12.86	17.76	19.38	15.35	13.53
Leukaemia	0.98	1.13	0.49	0.61	0.39	0.60	0.43	0.59	0.77	2.33	1.27	1.65	2.77	2.00	2.50	6.36	1.75
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.11	0.15	0.00	0.69	0.33	0.00	0.78	0.00	0.00
Liver & Bile duct	0.07	0.15	0.10	0.05	0.03	0.29	0.41	1.20	1.17	2.85	2.40	2.72	4.37	6.98	7.09	5.38	10.62
Lung	0.00	0.00	0.05	0.00	0.00	0.05	0.19	0.32	1.91	8.82	13.69	27.27	35.82	31.55	34.08	24.22	35.77
Melanoma	0.04	0.05	0.00	0.00	0.09	0.05	0.16	0.25	0.57	0.69	0.81	1.79	1.27	3.51	9.09	5.11	6.89
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.08	0.24	0.56	1.63	2.85	1.97	3.08	3.14	1.72
Mouth	0.00	0.05	0.05	0.00	0.15	0.08	0.17	0.13	0.34	2.01	3.99	4.74	9.13	10.14	6.54	3.15	13.89
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.13	0.72	0.59	0.84	1.81	2.33	3.76	4.63	6.31	3.47
Naso-Oropharynx	0.00	0.00	0.15	0.15	0.15	0.16	0.17	0.33	0.65	0.42	3.83	5.45	5.84	4.43	7.24	3.20	7.95
Non Hodgkin lymphoma	0.14	0.09	0.43	0.52	0.42	1.18	2.94	4.85	6.23	8.25	8.22	8.71	7.56	5.43	8.37	5.83	10.62
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.09	0.23	0.61	2.01	4.73	12.25	19.53	24.81	28.67	29.07	31.95	63.94
Other specified	0.00	0.09	0.00	0.05	0.00	0.05	0.17	0.26	0.67	1.05	1.24	2.24	2.06	4.11	2.44	3.63	1.70
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.25	0.49	1.49	1.69	2.10	2.31	1.98	2.04	2.16
Penis	0.00	0.00	0.00	0.00	0.00	0.05	0.74	0.80	1.99	1.82	2.86	1.30	2.67	1.63	1.90	4.30	0.00
Primary site unknown	0.26	0.10	0.15	0.25	0.45	0.61	1.15	2.29	5.27	12.27	17.89	25.06	35.41	36.39	52.39	29.44	63.38
Prostate	0.00	0.00	0.00	0.05	0.00	0.00	0.06	0.13	1.35	8.14	26.62	71.34	127.09	195.23	272.39	303.51	436.50
SCC of skin	0.00	0.09	0.00	0.00	0.19	0.25	0.39	1.76	2.64	4.74	6.81	8.24	10.03	12.69	26.87	39.14	64.18
Salivary gland	0.00	0.00	0.05	0.00	0.00	0.05	0.16	0.13	0.25	0.46	1.15	1.15	1.52	1.73	1.81	3.06	1.68
Skin other	0.09	0.02	0.00	0.10	0.05	0.38	0.36	0.79	0.77	1.47	1.03	1.59	2.28	1.34	1.28	3.54	6.95
Small intestine	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.17	0.36	0.28	0.63	1.05	0.97	1.88	2.12	2.48
Stomach	0.00	0.00	0.00	0.00	0.00	0.10	0.28	0.20	1.26	2.92	3.35	6.74	10.61	9.92	14.43	10.86	16.15
Testis	0.09	0.06	0.05	0.19	0.05	0.15	0.17	0.07	0.17	0.62	0.17	0.18	0.26	0.40	0.00	0.00	0.00
Thyroid	0.00	0.00	0.00	0.05	0.05	0.11	0.12	0.27	0.44	0.41	0.49	0.77	1.37	1.25	1.95	0.00	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.33	0.29	1.36	3.85	5.20	7.82	4.78	8.08	3.12	6.04
All sites excluding BCC and SCC	4.99	3.48	3.44	4.47	4.95	12.02	24.19	36.62	54.01	93.12	144.83	233.75	347.34	429.12	554.25	536.17	785.82

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: COLOURED FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.08	0.00	0.00	0.80	4.69	0.00	5.57	0.00	0.00	0.00	
BCC	0.00	0.00	0.00	0.00	0.00	0.00	2.64	6.87	7.61	18.33	24.82	50.37	69.81	121.00	156.90	215.50	278.55	565.44
Bladder	0.48	0.00	0.00	0.00	0.00	0.00	0.00	1.51	0.08	1.35	1.68	4.15	5.00	13.00	24.79	28.81	17.84	
Bone	0.00	0.47	0.90	0.59	0.48	1.05	0.08	0.00	0.09	0.00	0.12	0.00	2.51	1.86	0.00	0.63	5.68	
Brain, CNS	0.56	0.00	0.08	0.00	0.48	0.52	0.52	0.59	1.61	0.00	2.95	0.00	7.52	5.57	5.42	0.00	0.96	
Breast	0.00	0.00	0.00	0.00	2.40	4.42	16.70	30.36	50.77	91.03	102.99	134.50	172.41	205.28	223.34	261.70	418.92	
Burkitt lymphoma	0.48	0.00	0.45	0.00	0.00	0.52	0.57	0.00	0.54	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Cervix	0.00	0.00	0.00	0.00	0.97	5.37	11.25	22.10	19.17	31.27	36.04	44.89	44.91	30.52	38.75	21.22	58.50	
Colorectal	0.00	0.00	0.45	0.00	0.00	0.53	1.82	3.04	7.86	12.90	21.09	27.89	25.93	61.94	85.83	48.28	174.00	
Connective tissue	1.54	0.00	0.05	0.00	0.96	1.05	0.23	0.56	1.84	1.40	0.00	3.12	3.76	3.92	5.72	0.00	0.62	
Endocrine	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.71	0.00	0.00	
Eye	0.48	0.02	0.00	0.00	0.00	0.58	1.11	1.05	1.15	1.93	0.03	0.00	0.00	1.86	2.72	0.00	0.00	
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Haematology other	0.00	0.47	0.53	0.00	0.00	0.00	1.05	0.09	0.00	0.00	0.00	0.94	0.00	0.00	0.00	0.00	0.00	
Hodgkin lymphoma	0.00	0.94	0.45	0.00	1.02	1.17	1.06	1.58	0.65	0.64	2.31	0.00	0.00	0.19	0.00	4.00	0.00	
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Kaposi Sarcoma	0.00	0.00	0.00	0.45	3.34	2.10	3.73	2.55	1.61	2.53	0.78	1.93	1.25	1.86	0.00	7.91	0.00	
Kidney	1.49	0.47	0.00	0.00	0.53	0.00	0.00	0.00	0.18	0.00	6.71	7.50	0.00	7.43	0.00	3.96	5.68	
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.54	0.63	1.47	7.76	5.01	11.64	3.45	8.98	5.68	
Leukaemia	2.12	0.07	0.00	0.60	0.56	1.61	0.00	1.55	4.40	0.65	4.65	3.85	1.67	6.00	0.00	8.12	12.53	
Lip	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.00	0.54	0.00	0.00	0.00	0.00	1.86	0.39	0.00	0.00	
Liver & Bile duct	0.48	0.04	0.00	0.00	0.00	0.00	0.10	0.50	1.61	0.63	0.88	1.03	1.49	2.03	10.85	0.00	11.36	
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.12	2.63	2.62	8.44	17.35	35.23	45.39	65.63	79.57	44.87	53.64	
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	1.07	1.54	5.44	1.99	6.05	5.02	7.75	5.66	14.02	28.11	75.47	
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.25	0.00	5.42	11.87	0.00	
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.51	0.54	2.54	3.70	4.06	8.14	3.73	5.87	7.95	8.36	
Myeloma	0.00	0.00	0.00	0.00	0.00	0.57	0.00	0.00	0.58	1.38	1.61	1.02	5.71	12.51	13.39	8.63	0.00	
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.01	0.00	1.98	0.83	1.88	4.07	0.00	2.71	0.00	0.00	
Non Hodgkin lymphoma	0.00	0.00	0.91	0.00	0.48	1.16	3.24	2.09	3.31	3.97	4.62	11.67	9.37	11.65	22.50	12.03	23.56	
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.04	0.62	0.00	1.16	5.23	4.61	3.22	14.23	17.21	13.18	20.49	19.97	
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.62	1.90	2.32	2.02	6.46	4.00	3.14	4.57	5.68	
Ovary	0.00	0.00	0.00	0.45	0.49	0.53	1.07	2.05	2.72	3.47	7.04	8.01	8.50	11.33	14.90	16.09	5.77	
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.01	0.00	0.72	2.21	1.88	2.68	9.28	13.94	4.52	0.00	
Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Primary site unknown	0.00	0.47	0.00	1.40	0.06	1.05	2.82	4.29	4.56	10.68	18.61	22.42	43.22	56.01	46.12	65.85	88.83	
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.05	0.00	1.57	5.51	9.06	15.08	12.66	29.57	55.60	71.96	109.33	357.74	
Salivary gland	0.00	0.00	0.00	0.45	0.96	0.00	0.00	0.50	0.12	0.00	0.00	0.94	1.25	0.00	0.00	8.36	5.68	
Skin other	0.04	0.00	0.00	0.04	0.00	0.00	0.53	0.00	0.59	0.23	0.74	0.00	8.93	2.04	2.73	0.00	23.88	
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	0.63	0.00	2.81	0.00	0.00	0.29	3.96	0.00	
Stomach	0.00	0.00	0.00	0.00	0.00	0.53	0.53	1.74	1.73	2.05	11.43	7.75	11.33	25.49	31.78	36.66	58.32	
Thyroid	0.00	0.00	0.00	0.45	0.48	2.82	3.67	2.52	2.21	3.16	1.47	7.62	6.26	3.71	2.71	3.96	11.36	
Tongue	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.00	0.64	5.06	0.74	3.93	5.25	5.57	2.71	0.00	11.36	
Uterus	0.00	0.00	0.00	0.45	0.00	0.52	0.52	0.56	0.00	5.82	4.65	15.78	31.24	46.30	43.49	45.56	30.74	
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.00	1.94	0.84	0.13	2.51	0.26	2.71	3.96	5.68	
Vulva	0.00	0.00	0.00	0.00	0.00	0.00	1.62	2.08	1.27	2.61	1.52	1.93	7.87	9.57	2.80	12.63	0.57	
All sites excluding BCC and SCC	7.68	2.94	3.81	4.86	13.19	27.22	55.09	90.25	120.74	209.40	272.82	379.57	502.89	650.48	727.95	733.66	1140.61	

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: COLOURED MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.43	3.39	1.26	4.87	2.41	0.47	6.60	1.34
BCC	0.00	0.00	0.00	0.89	0.96	1.61	3.36	18.14	33.52	32.42	62.16	137.59	174.54	322.06	551.21	617.18	1181.41
Bladder	0.00	0.00	0.00	0.00	0.48	0.00	0.73	1.09	1.79	4.30	11.15	23.93	48.37	55.31	90.71	63.62	171.80
Bone	0.04	0.46	0.48	0.44	0.00	0.53	0.00	0.55	0.00	0.00	1.12	1.62	0.00	0.00	0.00	0.00	0.00
Brain, CNS	1.12	1.38	0.00	0.00	0.06	0.53	0.00	1.09	1.79	2.15	2.64	1.26	6.49	2.70	3.86	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.60	0.00	2.54	1.21	3.50	7.23	7.72	0.00	0.87
Burkitt lymphoma	0.00	0.46	0.44	0.00	0.51	0.00	0.04	1.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	1.77	1.43	0.20	2.93	3.96	8.11	7.44	18.96	38.30	42.40	75.55	154.46	111.40	212.74
Connective tissue	0.05	0.00	0.00	0.53	0.52	1.07	1.11	0.60	1.19	0.00	3.39	2.48	6.83	5.07	12.79	6.60	12.12
Endocrine	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.60	0.00	0.00	0.00	1.62	0.00	0.00	0.00	0.00
Eye	0.50	0.92	0.00	0.00	0.00	0.53	0.00	0.60	0.65	0.00	0.05	1.16	1.62	0.00	0.00	0.00	10.98
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Haematology other	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.55	0.00	0.00	0.06	0.00	0.00	2.41	0.00	0.00	0.00
Hodgkin lymphoma	0.49	0.00	1.43	1.43	0.49	1.17	1.15	2.32	4.37	0.09	3.49	2.31	1.67	0.00	4.46	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.46	0.02	0.00	4.93	7.54	2.90	3.68	1.50	0.94	2.30	0.00	0.00	3.95	0.00	22.48
Kidney	1.03	0.92	0.00	0.00	0.48	0.00	0.00	1.64	0.70	7.88	6.08	8.25	11.93	20.11	19.98	39.60	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.50	3.00	6.14	14.25	20.41	10.97	17.59	41.92	12.51
Leukaemia	2.49	3.85	0.00	0.63	0.98	0.62	0.22	1.12	1.22	1.57	1.74	4.61	3.55	14.85	7.93	13.56	11.28
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.19	0.72	1.69	0.00	0.00	0.00	3.86	0.00	0.00
Liver & Bile duct	0.05	0.00	0.00	0.00	0.05	1.13	0.11	0.00	2.45	1.51	3.66	3.49	7.17	5.32	0.78	26.49	22.04
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.68	2.20	8.64	23.09	45.89	64.87	113.11	131.01	187.49	123.66	37.66
Melanoma	0.00	0.00	0.00	0.00	0.48	0.53	1.67	0.55	2.38	5.73	6.77	5.71	9.73	26.70	31.22	72.61	44.88
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.43	1.69	2.24	1.62	2.41	23.17	19.80	0.00
Mouth	0.00	0.00	0.00	0.00	0.49	0.07	0.00	0.70	0.00	4.40	8.13	8.33	14.13	8.34	10.43	13.51	14.12
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.68	2.87	3.39	3.69	2.09	5.16	8.28	19.80	0.00
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.55	0.83	2.25	3.61	6.88	15.47	12.04	8.24	13.20	12.45
Non Hodgkin lymphoma	0.00	0.00	0.45	0.45	1.01	1.19	1.13	2.93	3.13	6.67	6.17	12.72	29.90	22.68	16.03	27.40	46.69
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.07	0.00	1.69	2.69	4.52	18.22	14.89	36.37	26.43	48.73	51.91	51.00
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	2.54	6.88	5.31	7.55	15.44	0.90	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.81	3.39	5.90	8.32	4.82	12.08	6.60	12.40
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.72	0.00	0.00	0.00	4.82	7.72	13.20	0.00
Primary site unknown	0.06	0.00	0.00	0.91	0.62	1.32	1.88	2.55	5.31	19.53	33.03	32.89	67.29	60.87	98.63	66.62	72.39
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.60	13.57	46.20	98.95	246.63	400.44	551.20	669.08	623.50
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	1.13	2.26	7.45	9.63	23.93	37.98	89.71	119.46	208.33	322.60	711.67
Salivary gland	0.00	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	2.15	0.08	1.23	4.87	0.24	0.00	6.60	0.00
Skin other	0.00	0.05	0.00	0.00	0.00	0.06	0.62	0.55	0.79	2.94	1.79	4.73	10.09	5.08	20.57	7.32	0.00
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	1.43	0.85	4.69	0.00	5.26	0.00	0.00	13.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	1.67	1.64	3.32	10.30	16.57	23.07	37.93	37.50	49.26	73.86	133.87
Testis	0.00	0.05	0.00	0.89	0.95	2.14	1.11	1.09	2.38	1.52	0.10	0.00	0.00	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.00	0.00	0.00	0.53	1.11	0.55	0.00	2.95	0.95	4.49	0.00	2.41	3.86	0.00	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	1.30	5.87	7.79	12.57	20.65	9.67	3.87	8.88	1.88
All sites excluding BCC and SCC	5.83	8.57	3.71	7.13	8.53	16.63	24.31	33.26	66.08	145.07	273.11	420.66	785.56	975.35	1424.79	1504.77	1542.01

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: WHITE FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.77	0.65	1.18	3.08	2.44	1.99	2.30	0.00	5.91	5.59
BCC	0.00	0.00	0.00	3.96	7.21	22.25	69.69	134.86	185.42	198.58	260.39	356.51	422.28	548.69	731.07	830.87	1019.39
Bladder	0.00	0.00	0.00	0.00	0.65	0.00	0.70	0.69	0.31	1.41	3.97	10.31	13.10	14.81	26.88	37.10	34.44
Bone	0.77	0.00	0.71	1.66	1.29	0.00	0.19	0.69	0.17	0.00	1.86	0.59	1.28	2.22	1.96	1.82	0.00
Brain, CNS	1.11	1.51	0.31	1.30	0.00	1.37	2.10	5.15	1.26	2.27	2.84	4.72	1.93	8.14	6.84	2.86	1.95
Breast	0.00	0.00	0.00	0.00	1.30	15.32	50.77	108.59	163.06	195.71	218.54	208.17	275.93	311.66	343.48	355.98	384.10
Burkitt lymphoma	0.77	0.75	0.00	0.00	0.00	0.68	0.07	1.38	1.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	1.31	14.68	29.97	32.53	37.82	35.24	37.73	39.10	32.24	16.75	14.03	20.86	20.88
Colorectal	0.00	0.00	0.00	0.00	1.29	3.43	4.61	6.24	17.04	29.67	33.19	59.81	59.26	90.68	107.06	123.88	179.12
Connective tissue	0.47	3.83	1.66	1.32	0.66	0.00	2.99	1.62	1.41	0.93	4.04	1.74	5.21	6.24	9.23	7.24	10.01
Endocrine	1.54	0.00	0.71	0.00	1.29	0.34	0.00	0.69	0.00	0.57	1.14	0.59	0.00	0.00	0.00	0.00	2.70
Eye	1.54	0.02	0.71	0.00	0.00	0.06	0.76	0.04	0.07	0.02	0.59	0.00	0.64	0.74	1.96	0.00	1.36
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.00	0.00
Haematology other	0.00	0.00	0.25	0.00	1.29	0.00	0.00	0.24	0.00	0.00	0.00	0.00	0.64	2.96	1.96	1.43	0.00
Hodgkin lymphoma	0.00	0.00	0.00	3.28	1.43	5.11	0.71	4.33	2.14	1.15	0.68	0.00	0.00	2.39	2.97	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.19	0.00	0.00	0.00
Kaposi Sarcoma	0.79	0.00	0.00	0.00	0.67	4.23	4.40	2.88	3.88	0.59	1.20	2.46	0.00	0.76	0.00	0.00	1.39
Kidney	2.59	0.75	0.00	0.00	0.24	0.00	0.70	1.38	4.45	1.14	5.33	6.49	5.13	6.66	14.67	22.85	8.11
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.63	1.71	1.14	1.93	3.21	2.42	6.13	1.82	2.70
Leukaemia	6.66	1.76	2.14	1.07	1.50	0.69	1.40	1.39	2.51	1.71	4.17	6.50	5.56	3.95	9.79	14.31	11.27
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.00	1.14	0.00	1.28	1.48	3.49	0.00	2.70
Liver & Bile duct	0.77	0.25	0.00	0.00	0.00	0.00	0.46	0.00	0.00	1.71	2.08	3.15	2.35	10.61	8.80	14.28	10.81
Lung	0.00	0.00	0.00	0.00	0.00	0.69	1.74	3.81	7.51	11.35	27.62	31.04	39.00	58.66	75.51	77.30	39.31
Melanoma	0.00	0.00	0.00	1.96	4.56	6.21	17.65	23.71	22.77	26.76	29.06	33.97	30.86	34.33	48.98	46.07	78.59
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.68	0.00	0.00	0.63	0.00	0.57	2.95	0.64	4.44	6.84	7.14	5.41
Mouth	0.00	0.00	0.00	0.00	0.00	0.69	0.00	0.00	0.00	2.29	1.71	6.98	7.19	6.70	15.12	8.61	15.14
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.74	0.73	0.66	1.79	2.99	4.35	2.91	5.70	6.11	4.51	8.53
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	1.26	0.73	1.30	2.36	4.87	2.96	4.89	1.43	1.35
Non Hodgkin lymphoma	0.00	0.00	0.72	2.62	0.65	1.09	4.45	4.39	5.25	10.08	8.94	14.21	18.24	25.08	27.20	30.25	49.47
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.07	0.14	0.00	0.76	4.80	4.22	5.10	4.83	4.74	6.93	6.10	15.93
Other specified	0.00	0.75	0.00	0.00	0.00	0.00	0.00	0.69	0.21	2.27	2.47	4.92	3.42	6.17	5.22	3.34	6.76
Ovary	0.00	0.76	0.00	2.61	1.30	2.75	2.11	6.95	3.78	10.50	13.36	15.05	18.90	23.80	21.99	18.66	20.37
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.69	1.88	1.48	4.55	8.26	12.58	7.40	10.36	15.13	13.51
Placenta	0.00	0.00	0.00	0.65	0.65	0.00	1.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.00	0.00	0.72	0.18	0.18	3.47	1.99	3.56	13.41	14.92	16.54	32.24	42.54	59.60	69.54	71.44	73.08
SCC of skin	0.00	0.00	0.00	0.00	0.65	1.91	6.37	7.52	19.99	22.13	51.88	73.38	106.40	207.48	271.40	424.40	754.38
Salivary gland	0.00	0.00	0.71	0.65	0.65	0.00	0.70	0.00	0.40	1.14	1.71	1.77	2.57	2.22	0.98	4.74	2.70
Skin other	0.33	0.00	0.71	0.93	0.65	0.69	1.41	1.39	2.16	3.25	2.29	4.15	4.79	11.48	9.83	11.49	12.02
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.14	0.00	0.59	0.64	2.22	3.17	4.28	1.35
Stomach	0.00	0.00	0.00	0.65	0.00	0.69	0.70	1.12	2.72	4.17	6.06	8.48	12.26	11.84	13.67	26.27	20.78
Thyroid	0.00	0.00	0.00	3.25	1.94	9.90	6.30	16.60	14.74	14.21	17.06	9.73	12.20	5.92	6.84	8.57	2.70
Tongue	0.00	0.00	0.00	0.00	0.00	0.70	0.00	1.41	0.25	3.48	3.48	5.65	4.83	5.28	1.99	4.37	9.64
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	2.12	1.58	5.69	8.89	19.92	19.68	30.62	47.98	44.93	40.72	27.29
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.20	2.41	1.32	0.00	2.40	4.89	1.43	0.00
Vulva	0.00	0.00	0.00	0.00	0.00	1.37	3.50	2.08	2.80	1.14	1.14	1.18	4.59	2.96	7.82	4.51	13.72
All sites excluding BCC and SCC	17.34	10.39	9.35	22.13	23.48	74.93	145.58	239.21	324.15	400.59	490.10	561.97	669.50	816.84	952.09	1006.69	1094.78

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2013: WHITE MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	1.42	0.00	0.00	0.00	2.32	2.01	4.82	2.84	3.00	6.65	3.63
BCC	0.00	0.00	0.69	1.90	10.14	30.08	82.53	130.16	252.40	292.09	397.45	563.59	738.07	1103.43	1344.08	1955.67	2380.53
Bladder	0.00	0.00	0.00	0.00	0.00	0.68	0.93	1.42	3.19	10.28	19.01	39.14	46.45	101.64	148.09	236.83	309.55
Bone	0.24	0.00	1.60	3.77	1.88	0.68	0.00	1.41	0.00	0.57	1.74	1.85	0.69	0.95	1.33	4.43	0.00
Brain, CNS	3.41	4.37	0.69	1.26	3.47	2.03	3.55	0.71	5.09	2.85	9.02	5.88	7.57	13.78	11.98	13.29	8.69
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.73	1.31	2.93	1.19	3.32	3.88	3.90	5.47	11.39	6.66
Burkitt lymphoma	0.00	0.73	0.69	0.00	0.08	0.00	0.80	1.51	0.00	1.14	0.58	0.00	0.00	0.95	0.00	0.00	0.00
Colorectal	0.00	0.00	0.69	0.00	0.63	4.51	6.48	12.15	15.18	20.40	45.30	70.58	114.80	194.71	189.59	297.92	302.64
Connective tissue	0.20	0.73	0.69	2.84	2.67	0.00	2.84	3.02	1.91	1.71	1.74	2.79	6.56	4.99	9.04	24.37	12.35
Endocrine	2.23	0.00	0.00	1.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	0.00	0.95	0.00	0.00	0.00
Eye	0.86	0.00	0.69	0.00	0.00	0.00	1.42	2.29	0.79	0.57	1.26	1.28	1.38	0.95	1.33	11.08	2.90
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	1.52	1.01	0.95	1.33	0.00	0.00
Haematology other	0.74	1.46	0.00	0.63	1.25	0.68	0.00	0.00	0.00	0.57	0.29	0.62	1.38	0.95	5.32	6.65	5.79
Hodgkin lymphoma	0.00	0.00	1.54	3.33	2.55	4.27	2.17	5.19	1.43	2.44	1.77	3.14	2.10	5.79	7.06	2.25	0.00
Ill defined	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.05	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.03	0.63	1.35	6.53	5.07	5.12	4.01	0.63	0.62	0.69	0.00	1.33	0.00	5.79
Kidney	0.38	0.73	0.00	0.00	0.00	0.68	0.00	2.12	6.69	5.70	15.97	15.43	22.74	23.72	31.30	19.94	31.85
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.71	2.05	3.61	10.12	11.92	22.82	19.29	37.80	14.72	15.46
Leukaemia	2.50	3.19	3.47	3.17	1.27	1.59	2.14	0.72	3.23	2.50	4.71	5.62	9.30	11.53	16.18	29.18	29.34
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.71	2.12	3.18	0.57	2.90	3.70	3.44	4.74	5.32	6.65	8.69
Liver & Bile duct	0.20	0.73	0.00	0.00	0.17	0.18	1.09	1.42	2.73	0.72	1.63	6.35	10.41	9.07	15.41	13.34	31.96
Lung	0.75	0.00	0.00	0.63	0.00	0.00	3.82	4.26	11.33	20.48	29.88	57.16	78.67	100.55	122.93	147.02	132.96
Melanoma	0.00	0.00	0.00	1.27	2.53	5.46	10.74	18.56	25.06	26.45	29.29	44.68	63.23	107.92	93.77	107.31	215.68
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.14	0.00	3.70	6.20	11.38	15.97	35.45	17.37
Mouth	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.48	1.93	4.02	8.20	10.37	16.91	17.22	23.73	11.17	19.48
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.24	1.55	0.59	1.21	4.93	7.66	7.25	14.33	6.92	9.04
Naso-Oropharynx	0.00	0.00	0.69	0.63	0.00	0.00	0.00	0.71	2.52	4.17	7.33	8.83	11.89	9.48	15.06	11.08	6.71
Non Hodgkin lymphoma	0.00	0.00	0.69	0.63	0.81	5.83	5.71	5.59	11.25	8.92	8.51	15.23	26.01	29.41	44.53	49.63	83.17
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.13	1.43	1.43	0.36	3.55	9.53	16.34	18.12	22.36	39.39	26.62	31.34
Other specified	0.00	0.00	0.69	0.00	0.00	0.68	0.00	0.71	1.27	0.00	1.74	5.13	4.56	10.73	10.65	9.55	2.90
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.71	0.00	0.64	1.45	5.81	11.76	14.14	13.27	19.36	22.15	7.36
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.41	1.91	1.14	1.16	3.08	2.75	5.69	3.99	4.43	14.48
Primary site unknown	0.21	1.47	0.69	1.27	2.89	3.31	1.12	9.39	15.07	19.07	29.33	43.71	42.33	70.11	83.05	93.41	99.11
Prostate	0.00	0.00	0.00	0.00	0.00	0.68	0.00	2.84	12.79	26.44	109.45	212.60	374.71	705.93	784.79	777.99	809.72
SCC of skin	0.00	0.00	0.69	0.63	3.16	2.73	6.45	15.56	39.97	62.91	111.33	163.66	252.01	463.89	698.05	1033.45	1775.71
Salivary gland	0.00	0.00	0.00	0.00	0.63	1.35	0.71	0.00	1.27	0.57	2.54	0.85	2.75	5.09	7.99	8.86	8.69
Skin other	0.00	0.39	0.00	0.00	0.00	1.04	2.52	0.00	2.95	3.17	5.57	8.11	15.99	13.88	27.61	27.96	90.40
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.91	0.57	0.58	0.23	4.82	4.14	3.99	0.00	9.75
Stomach	0.00	0.00	0.00	0.00	0.00	1.36	2.14	7.12	9.19	9.68	15.38	27.50	33.87	40.38	70.69	61.17	120.74
Testis	1.50	0.45	0.69	1.90	5.70	10.25	11.48	7.86	7.72	5.53	3.88	1.87	2.09	0.00	1.35	2.24	0.00
Thyroid	0.00	0.00	0.00	0.00	1.25	0.68	2.13	2.12	5.09	2.57	4.36	4.93	6.20	11.38	9.32	2.22	2.90
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.72	2.17	3.69	12.68	12.84	14.33	8.74	6.82	12.83	6.90
All sites excluding BCC and SCC	13.22	14.24	13.49	22.88	28.51	47.63	73.50	105.02	167.90	203.80	407.20	670.20	1007.26	1597.64	1890.21	2116.67	2463.99

APPENDIX I:

Information was missing about sex, although population group information was present: 2013

POPULATION GROUP: ALL

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	UNK	Total	
Anus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	4	5
Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain, CNS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colorectal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Connective tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kidney	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Skin other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	7	9	

POPULATION GROUP: ASIAN

Information was missing about sex, although population group information was present: 2013

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	UNK	Total	
Anus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain, CNS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colorectal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Connective tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kidney	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Skin other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	

POPULATION GROUP: WHITE

Information was missing about sex, although population group information was present: 2013

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	UNK	Total	
Anus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	4
Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain, CNS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colorectal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Connective tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kidney	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Skin other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	4	6	

APPENDIX II:

Information was missing about population group, although information about sex was present, 2013

SEX: FEMALE

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	UNK	TOTAL
Anus	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	0	0	0	0	3
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bladder	0	0	0	0	0	0	0	0	1	1	2	3	7	0	1	2	1	0	0	18
Bone	0	0	0	2	0	0	1	0	1	0	1	0	0	0	1	0	0	0	0	6
Brain, CNS	1	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	4
Breast	0	0	0	0	0	3	5	22	25	32	17	21	30	23	15	14	7	4	3	221
Burkitt lymphoma	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Cervix	0	0	0	0	0	2	3	5	6	14	6	5	7	4	2	5	3	0	1	63
Colorectal	0	0	0	0	0	0	3	0	4	2	10	4	4	8	10	1	8	2	0	56
Connective tissue	2	0	1	0	0	0	4	1	4	2	0	3	0	1	1	0	1	0	0	20
Endocrine	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Eye	0	1	0	0	0	3	3	2	4	1	1	0	0	0	0	0	0	0	1	16
Gum	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Haematology other	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2
Hodgkin lymphoma	0	0	0	0	1	2	0	1	2	0	1	0	0	1	0	0	0	0	2	10
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Kaposi Sarcoma	0	0	0	0	0	0	2	1	0	0	1	1	0	0	0	0	0	0	0	5
Kidney	1	0	0	0	1	0	0	0	3	0	1	0	0	0	0	0	0	0	0	6
Larynx	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1	1	0	0	0	5
Leukaemia	2	1	0	2	1	0	0	0	0	0	1	0	2	1	0	0	0	1	0	11
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Liver & Bile duct	0	1	0	0	0	0	2	0	0	0	2	1	2	1	0	0	0	0	0	9
Lung	0	0	0	0	0	0	1	1	4	6	7	7	1	6	6	6	1	1	0	47
Melanoma	0	0	0	0	0	0	0	0	0	1	1	3	1	0	1	0	0	1	0	8
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	0	0	0	0	0	0	0	0	2	3	0	1	0	1	2	1	10
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	0	0	0	1	6
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	4
Non Hodgkin lymphoma	0	0	0	0	0	2	1	1	1	2	2	3	4	2	2	0	0	1	0	21
Oesophagus	0	0	0	0	0	1	2	0	2	3	3	5	4	3	10	2	4	2	1	42
Other specified	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	1	0	0	0	7
Ovary	0	0	0	0	0	0	0	0	0	3	3	3	5	0	3	0	0	0	0	17
Pancreas	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	0	0	4
Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	1	1	0	3	4	4	7	10	7	20	9	8	5	4	1	5	89
SCC of skin	0	0	0	0	0	1	0	1	2	2	3	4	4	7	3	4	8	7	2	48
Salivary gland	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0	0	3
Skin other	1	0	0	1	0	0	0	0	1	4	0	0	1	1	0	0	2	0	1	12
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Stomach	0	0	0	0	0	0	0	2	1	1	2	1	0	3	3	1	1	0	2	17
Thyroid	0	0	0	0	0	3	0	0	1	0	0	1	0	0	0	0	0	0	0	5
Tongue	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	3
Uterus	0	0	0	0	0	0	0	1	0	2	3	8	9	9	10	5	4	0	0	51
Vagina	0	0	0	0	0	0	0	0	0	1	2	2	0	2	0	0	0	0	0	7
Vulva	0	0	0	0	0	0	0	0	3	0	0	0	1	0	0	1	1	0	0	6
TOTAL	7	3	3	6	4	18	32	47	73	86	82	87	111	85	84	51	47	22	20	868

Information was missing about population group, although information about sex was present, 2013

SEX: MALE

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	UNK	TOTAL
Anus	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	3
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bladder	0	0	0	0	0	0	2	0	0	0	1	2	5	6	3	4	1	3	1	28
Bone	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Brain, CNS	3	0	0	0	1	0	0	0	0	0	1	1	0	1	0	0	0	0	0	7
Breast	0	0	0	0	0	0	1	0	0	0	0	1	2	0	0	0	1	0	0	5
Burkitt lymphoma	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	3
Colorectal	0	0	0	0	0	3	2	2	5	3	3	9	9	19	16	7	9	2	2	91
Connective tissue	1	0	0	2	1	0	0	1	0	0	0	2	2	1	3	0	1	0	0	14
Endocrine	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Eye	2	0	0	0	0	0	0	3	3	0	2	1	0	0	0	0	0	0	0	11
Gum	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2
Haematology other	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Hodgkin lymphoma	0	0	1	1	0	1	0	1	1	1	0	0	0	0	1	0	0	0	0	7
Ill defined	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
Kaposi Sarcoma	0	0	0	1	0	0	5	4	1	1	2	0	0	0	0	0	0	0	0	14
Kidney	1	0	0	0	0	0	0	0	1	0	1	2	2	2	1	0	0	0	0	10
Larynx	0	0	0	0	0	0	0	0	4	1	1	4	3	4	4	2	1	0	0	24
Leukaemia	1	1	0	3	0	1	3	0	0	1	0	0	1	0	0	0	0	0	1	12
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & Bile duct	1	0	0	0	1	1	2	0	1	1	3	1	4	2	2	0	0	0	1	20
Lung	0	0	0	0	0	0	1	0	2	5	9	12	16	10	11	3	1	1	2	73
Melanoma	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1	0	4
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	0	0	1	0	2	0	0	3	2	4	3	5	0	2	0	0	22
Myeloma	0	0	0	0	0	0	0	2	1	0	0	2	2	1	1	0	0	0	0	9
Naso-Oropharynx	0	0	0	0	0	0	0	0	3	1	2	1	4	0	1	0	0	1	0	13
Non Hodgkin lymphoma	0	0	0	0	1	2	0	3	2	2	2	2	2	3	1	1	1	1	1	24
Oesophagus	0	0	0	0	0	1	0	0	3	1	7	7	6	13	2	5	2	2	1	50
Other specified	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	1	0	0	0	5
Pancreas	0	0	0	0	0	0	0	0	0	1	0	2	1	0	1	0	1	0	0	6
Penis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	1	0	0	0	2	3	2	4	5	11	14	11	17	4	6	6	2	1	5	94
Prostate	0	0	0	0	0	0	0	0	0	7	19	40	52	62	59	32	23	15	9	318
SCC of skin	0	0	0	0	0	0	0	1	4	3	10	5	7	11	25	14	13	9	2	104
Salivary gland	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	3
Skin other	0	1	0	0	0	1	1	0	3	1	1	2	2	1	3	1	0	0	0	17
Small intestine	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	3
Stomach	0	0	0	0	0	0	0	0	3	2	3	3	2	3	4	1	0	1	0	22
Testis	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	3
Thyroid	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
Tongue	0	0	0	0	0	0	0	0	1	1	1	1	4	0	0	2	1	0	1	12
TOTAL	11	3	2	8	8	14	20	24	43	45	89	119	150	150	151	79	60	38	27	1041

APPENDIX III:

Information was missing about both sex and population group, 2013

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain, CNS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Breast	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Colorectal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Connective tissue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kidney	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Leukaemia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Skin other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2