


CONTENTS

Programme descriptions	2
Interpretation of data presented	3
Data from virologic surveillance programmes to aid in interpretation of consultation trends	4
Number of consultations - all respiratory including confirmed or suspected COVID-19 and other by week	5
All ages	6
0-4 years of age	7
5-19 years of age	8
20-49 years of age	9
≥50 years of age	10
Eastern Cape Province	11
Gauteng Province	12
KwaZulu-Natal Province	13
Western Cape Province	14

HIGHLIGHTS: WEEK 25

- Reduction in total admissions since week 13 likely related to national lockdown
- Sustained increase in proportion of respiratory hospitalisations among 20-49 and ≥50 years likely reflects increasing respiratory cases (including COVID-19 cases)
- Differences by province and age group should be interpreted with caution due to low numbers in some groups.



PRIVATE CONSULTATIONS SURVEILLANCE REPORT

WEEK 25 2020

PROGRAMME DESCRIPTIONS

Inpatient data from a large national private hospital group and outpatient data from a general practitioner network linked to the same hospital group were received for the last week. Data were obtained from eight provinces (**Eastern Cape**, Free State, **Gauteng**, Limpopo, **KwaZulu-Natal**, Mpumalanga, North West, **Western Cape**). Sufficient numbers for province-level reporting were available for four of these (bold). Consultations and admissions were coded based on discharge diagnosis using the International Classification of Diseases and Related Health Problems, 10th revision (ICD-10). Data were analysed using the indicator: All respiratory and confirmed or suspected COVID-19 (J00-J99 & U07.1 & U07.2)/Total consultations. Data on the indicator Pneumonia and Influenza (J10-J18)/Total consultations are available on request but were not included in this report.

Data were categorised in the following age groups: All ages, <5 years, 5-19 years, 20-49 years, ≥50 years

Epidemic Threshold

Thresholds were calculated using the Moving Epidemic Method (MEM), a sequential analysis using the R Language, available from: <http://CRAN.R-project.org/web/package=mem>, designed to calculate the duration, start and end of the annual influenza epidemic. MEM uses the 40th, 90th and 97.5th percentiles established from historical data (2015-2019 for inpatients, 2016-2019 for outpatients) to calculate thresholds of activity, defined as follows:

- Epidemic threshold: Median of weekly values for all baseline years
- Low activity: Between epidemic threshold including 40th percentile
- Moderate activity: Between 40th and 90th percentile
- High activity: Between 90th and 97.5th percentile
- Very high activity: 97.5th percentile and above

Hospitalization data for recent weeks are adjusted for delayed reporting (diagnosis codes assigned on discharge delayed for prolonged hospitalisations). Adjustment accounts for the probability of being admitted, but not yet discharged at the time of data drawdown using the age- and syndrome-specific probability distribution of duration of admission obtained from all hospitalizations that occurred during 2015-2019 and applied to the most recent weeks in 2020.

PRIVATE CONSULTATIONS SURVEILLANCE REPORT

WEEK 25 2020

INTERPRETATION OF DATA PRESENTED

Total admissions reduced from week 13 when lockdown was implemented. After week 18, when restrictions moved to level 4, there was a modest increase in total admissions. The proportion of admissions coded as confirmed COVID-19 increased from week 15, exceeding 30% from week 23.

Total outpatient consultations reduced slightly from week 13 but rapidly recovered to levels similar to those preceding the lockdown. The proportion of outpatient consultations coded as confirmed COVID-19 increased from week 15.

Proportion of admissions respiratory or suspected COVID-19 overall remained below threshold until week 21, following which it increased rapidly reaching the high threshold in week 25.

By age group, percent admissions respiratory or suspected COVID remained below threshold for 0-4 years and 5-19 years. Among 20-49 years and ≥ 50 years, percent respiratory admissions has continuously increased since week 13, reaching very high level in both age groups.

Proportion of outpatient consultations respiratory or suspected COVID-19 overall increased from week 11, peaking in week 13 and dropping well below the threshold, but showing an increasing trend in recent weeks. By age group, percent outpatient visits showed similar trends for all age groups, and has breached the seasonal threshold among individuals aged 20-49 years and ≥ 50 years from week 25.

Trends in proportion of admissions and outpatient consultations respiratory or COVID varied by province with proportion inpatients respiratory reaching very high levels in the Eastern and Western Cape and KwaZulu-Natal Province.

Assessment



The sustained increase in proportion of respiratory hospitalisations among 20-49 and ≥ 50 years likely reflects increasing respiratory cases (including COVID-19 cases). Changes in health-seeking behaviours and/or effects of lockdown-related reductions may also have contributed. Differences by province and age group should be interpreted with caution due to low numbers in some groups.

PRIVATE CONSULTATIONS SURVEILLANCE REPORT

WEEK 25 2020

DATA FROM VIROLOGIC SURVEILLANCE PROGRAMMES TO AID IN INTERPRETATION OF CONSULTATION TRENDS

NUMBER OF INFLUENZA POSITIVE SAMPLES BY SUBTYPE/LINEAGE AND DETECTION RATE BY WEEK





PRIVATE CONSULTATIONS SURVEILLANCE REPORT

WEEK 25 2020



NUMBER OF CONSULTATIONS - ALL RESPIRATORY INCLUDING CONFIRMED OR SUSPECTED COVID-19 AND OTHER CONSULTATIONS BY WEEK

(SOLID ARROW INDICATES FIRST WEEK OF LOCKDOWN, DASHED ARROW FIRST WEEK OF LEVEL 4)

Inpatients



Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

ALL AGES

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

0-4 YEARS OF AGE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

5-19 YEARS OF AGE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

20-49 YEARS OF AGE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

≥50 YEARS OF AGE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

EASTERN CAPE PROVINCE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

GAUTENG PROVINCE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT


WEEK 25 2020

KWAZULU-NATAL PROVINCE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients




PRIVATE CONSULTATIONS SURVEILLANCE REPORT

WEEK 25 2020

WESTERN CAPE PROVINCE

All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Inpatients



All Respiratory including confirmed or suspected COVID-19 (J00-J99 & U07) indicators – Outpatients

