



## COVID-19 Hospital Surveillance

### Update: Week 27, 2022

#### Overview of report

This report summarises data of COVID-19 cases admitted to hospital surveillance sites in all provinces. The report is based on data collected from 5 March 2020 to 9 July 2022.

#### Highlights

- There was a 31% decrease in the number of new admissions in week 27 2022 (320) compared to the number of admissions in week 26 2022 (464). Delays in reporting of admissions and deaths may affect the numbers reported in the most recent week.
- Gauteng had the highest number of admissions in the past week (105/320, 32.8%), followed by Western Cape (62/320, 19.3%) and KwaZulu-Natal (60/320, 18.7%). The lowest number of admissions was in Limpopo (4/320, 1.2%) and Northern Cape reported no admissions.
- The highest weekly incidence risk of COVID-19 admissions reported in week 27 of 2022 was in the ≥65-year age group (1.6 admissions per 100 000 persons), and the lowest weekly incidence risk was in the 35-49-year age group (0.1 admissions per 100 000 persons).



## Methods

Data on hospitalisation was accessed from DATCOV, a hospital surveillance system for COVID-19 admissions, initiated on the 1 April 2020. A COVID-19 case was defined as a person with a positive reverse transcriptase polymerase chain reaction (RT-PCR) assay for SARS-CoV-2 or a person who had a positive SARS-CoV-2 antigen test who was admitted to hospital.

Data on SARS-CoV-2 cases diagnosed in public and private laboratories submitted to the NICD were reported from the line list on the NMCSS.

Case fatality ratio (CFR) was calculated for all closed cases, i.e. COVID-19 deaths divided by COVID-19 deaths plus COVID-19 discharges, excluding individuals who are still admitted in hospital. For the calculation of cumulative incidence risks, StatsSA mid-year population estimates for 2021 were utilised. For comparisons of change in admission, we used 14-day daily average admissions in the current 14-day period compared to the previous 14-day period.

Severity was defined as patients receiving oxygen or invasive ventilation, treated in high care or intensive care wards, developing acute respiratory distress syndrome, or died. While oxygen, ventilation and ward of stay variables are updated daily for all admissions in the private sector, there may be delays with the data being updated in the public sector. Also, as patients remain in hospital their condition may change and percentage of severity may change over time.


Data are submitted by public and private hospitals that have agreed to report COVID-19 admissions through DATCOV surveillance in all nine provinces of South Africa. On 15 July 2020, the National Health Council decided that all hospitals should report to DATCOV. As of 9 July 2022, a total of 669 facilities submitted data on hospitalised COVID-19 cases, 407 from public sector and 262 from private sector (Table 1). This reflects 100% coverage of all public and private hospitals that have had COVID-19 admissions. As new hospitals join the surveillance system, they have retrospectively captured all admissions recorded although there may be some backlogs in retrospective data capture.

**Table 1:** Number of hospitals reporting data on COVID-19 admissions by province and sector, South Africa, 5 March 2020-9 July 2022.


Facilities reporting	Public	Private
Eastern Cape	86	18
Free State	35	20
Gauteng	39	99
KwaZulu-Natal	70	47
Limpopo	41	7
Mpumalanga	31	9
North West	17	13
Northern Cape	29	6
Western Cape	59	43
South Africa	407	262

## Results


### Epidemiological and demographic trends in admissions




**Figure 1:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, South Africa, 5 March 2020-9 July 2022, N=539,715



**Figure 2a:** Number of reported COVID-19 admissions, by provinces with highest admissions and epidemiologic week of diagnosis, South Africa, 5 March 2020-9 July 2022, N=539,715




**Figure 2b:** Number of reported COVID-19 admissions, by provinces with lowest admissions and epidemiologic week of diagnosis, South Africa, 5 March 2020-9 July 2022, N=539,715




**Figure 3:** Incidence risk of COVID-19 admissions per 100,000 persons, by age group and epidemiologic week of diagnosis, South Africa, 5 March 2020-9 July 2022, N=539,715




## Epidemiological and demographic trends in in-hospital mortality




**Figure 4:** Number of reported COVID-19 in-hospital deaths, by health sector and epidemiologic week, South Africa, 5 March 2020-9 July 2022, N=104,038



**Figure 5a:** Number of reported COVID-19 in-hospital deaths, by province with highest deaths and epidemiologic week of death, South Africa, 5 March 2020-9 July 2022, N=104,038



**Figure 5b:** Number of reported COVID-19 in-hospital deaths, by province with lowest deaths and epidemiologic week of death, South Africa, 5 March 2020-9 July 2022, N=104,038



**Figure 6:** Incidence risk of COVID-19 in-hospital deaths per 100,000 persons, by age group and epidemiologic week of death, South Africa, 5 March 2020-9 July 2022, N=104,038



## Provincial trends

**Table 2:** Number and cumulative incidence risk of COVID-19 hospitalisations and in-hospital deaths per 100,000 persons by province, South Africa, 5 March 2020-9 July 2022.

Province	Provincial Population mid 2020*	Cumulative admissions	Cumulative incidence risk of admissions / 100,000	Cumulative deaths	Cumulative incidence risk of deaths / 100,000
Eastern Cape	6676590	48628	728.3	13276	198.8
Free State	2932441	32534	1109.5	6142	209.5
Gauteng	15810388	159 097	1006.3	30522	193.1
KwaZulu-Natal	11513575	88620	769.7	17526	152.2
Limpopo	5926724	21102	356.0	5338	90.1
Mpumalanga	4743584	22870	482.1	4915	103.6
North West	4122854	34 297	831.9	5002	121.3
Northern Cape	1303047	11 919	914.7	2461	188.9
Western Cape	7113776	120 648	1696.0	18856	265.1
<b>South Africa</b>	<b>60142978</b>	<b>539 715</b>	<b>897.4</b>	<b>104 038</b>	<b>173.0</b>

\*StatsSA mid-year population estimates 2020

**Table 3:** Previous 14 days and current 14 days daily average COVID-19 admissions and deaths and percentage changes, South Africa, 11 June-9 July 2022.

Province	Hospital admissions		Percentage change in admissions	Hospital deaths		Percentage change in deaths
	Previous 14 days average admissions	Current 14 days average admissions		Previous 14 days average deaths	Current 14 days average deaths	
Eastern Cape	9.36	4.86	-48.09	1.79	0.50	-72.00
Free State	8.93	3.50	-60.80	1.14	0.57	-50.00
Gauteng	41.00	19.07	-53.48	6.71	4.43	-34.04
KwaZulu-Natal	18.14	9.07	-50.00	2.86	1.36	-52.50
Limpopo	2.36	0.57	-75.76	0.21	0.14	-33.33
Mpumalanga	5.86	2.79	-52.44	1.29	0.21	-83.33
North West	7.79	3.57	-54.13	2.00	1.29	-35.71
Northern Cape	1.36	0.21	-84.21	0.29	0.14	-50.00
Western Cape	30.21	12.29	-59.34	4.07	2.00	-50.88

\* Reporting of new admissions in the most recent week may be delayed




**Table 4:** Previous 7 days and current 7 days daily average COVID-19 admissions and deaths and percentage changes, South Africa, 25 June-9 July 2022.

Province	Hospital admissions		Percentage change in admissions	Hospital deaths		Percentage change in deaths
	Previous 7 days average admissions	Current 7 days average admissions		Previous 7 days average deaths	Current 7 days average deaths	
Eastern Cape	5.86	3.86	-34.15	0.57	0.43	-25.00
Free State	3.14	3.86	22.73	0.57	0.57	0.00
Gauteng	23.14	15.00	-35.19	5.14	3.71	-27.78
KwaZulu-Natal	9.57	8.57	-10.45	1.29	1.43	11.11
Limpopo	0.57	0.57	0.00	0.14	0.14	0.00
Mpumalanga	2.71	2.86	5.26	0.29	0.14	-50.00
North West	5.00	2.14	-57.14	1.86	0.71	-61.54
Northern Cape	0.43	0.00	-100.00	0.29	0.00	-100.00
Western Cape	15.71	8.86	-43.64	2.14	1.86	-13.33


\* Reporting of new admissions in the most recent week may be delayed




## Eastern Cape



**Figure 7:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, Eastern Cape, 5 March 2020-9 July 2022, N=48,628



**Figure 8:** Number of reported COVID-19 admissions, by district and epidemiologic week, Eastern Cape, 5 March 2020-9 July 2022, N=48,628



**Figure 9:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, Eastern Cape, 5 March 2020-9 July 2022, N=13,276




**Table 5:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, Eastern Cape, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Alfred Nzo	0.29	0.50	75.00	0.00	0.07	0.00
Amathole	0.57	0.07	-87.50	0.14	0.00	-100.00
Buffalo City Metro	1.50	0.50	-66.67	0.36	0.00	-100.00
Chris Hani	0.71	1.14	60.00	0.14	0.07	-50.00
Joe Gqabi	0.79	0.14	-81.82	0.00	0.00	0.00
Nelson Mandela Bay	4.64	2.07	-55.38	0.79	0.36	-54.55
O R Tambo	0.29	0.29	0.00	0.14	0.00	-100.00
Sarah Baartman	0.57	0.14	-75.00	0.21	0.00	-100.00




## Free State



**Figure 10:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, Free State, 5 March 2020-9 July 2022, N=32,534



**Figure 11:** Number of reported COVID-19 admissions, by district and epidemiologic week, Free State, 5 March 2020-9 July 2022, N=32,534



**Figure 12:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, Free State, 5 March 2020-9 July 2022, N=6,142




**Table 6:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, Free State, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Fezile Dabi	1.14	0.43	-62.50	0.21	0.00	-100.00
Lejweleputswa	2.00	0.64	-67.86	0.21	0.21	0.00
Mangaung Metro	4.07	1.64	-59.65	0.43	0.36	-16.67
Thabo Mofutsanyana	1.57	0.79	-50.00	0.21	0.00	-100.00
Xhariep	0.14	0.00	-100.00	0.07	0.00	-100.00




## Gauteng



**Figure 13:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, Gauteng, 5 March 2020-9 July 2022, N=159,097



**Figure 14:** Number of reported COVID-19 admissions, by district and epidemiologic week, Gauteng, 5 March 2020-9 July 2022, N=159,097



**Figure 15:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, Gauteng, 5 March 2020-9 July 2022, N=30,522




**Table 7:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, Gauteng, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
City of Johannesburg Metro	11.57	6.64	-42.59	1.71	1.93	12.50
City of Tshwane Metro	13.79	6.00	-56.48	2.21	1.07	-51.61
Ekurhuleni Metro	8.64	3.71	-57.02	1.50	0.93	-38.10
Sedibeng	3.14	1.21	-61.36	0.64	0.07	-88.89
West Rand	3.86	1.50	-61.11	0.64	0.43	-33.33




## KwaZulu-Natal



**Figure 16:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, KwaZulu-Natal, 5 March 2020-9 July 2022, N=88,620



**Figure 17:** Number of reported COVID-19 admissions, by district and epidemiologic week, KwaZulu-Natal, 5 March 2020-9 July 2022, N=88,620



**Figure 18:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, KwaZulu-Natal, 5 March 2020-9 July 2022, N=17,526




**Table 8:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, KwaZulu-Natal, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Amajuba	0.21	0.29	33.33	0.00	0.00	0.00
eThekwi Metro	5.57	2.79	-50.00	1.00	0.57	-42.86
Harry Gwala	1.00	0.36	-64.29	0.14	0.14	0.00
iLembe	0.43	0.07	-83.33	0.00	0.00	0.00
King Cetshwayo	2.57	2.00	-22.22	0.29	0.14	-50.00
Ugu	0.86	1.00	16.67	0.14	0.07	-50.00
uMgungundlovu	3.79	1.64	-56.60	0.50	0.21	-57.14
uMkhanyakude	0.57	0.14	-75.00	0.07	0.07	0.00
Umgonyathi	1.14	0.29	-75.00	0.29	0.07	-75.00
UThukela	1.64	0.21	-86.96	0.29	0.00	-100.00
Zululand	0.36	0.29	-20.00	0.14	0.07	-50.00




## Limpopo



**Figure 19:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, Limpopo, 5 March 2020-9 July 2022, N=21,102



**Figure 20:** Number of reported COVID-19 admissions, by district and epidemiologic week, Limpopo, 5 March 2020-9 July 2022, N=21,102



**Figure 21:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, Limpopo, 5 March 2020–9 July 2022, N=5,338




**Table 9:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, Limpopo, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Capricorn	0.86	0.36	-58.33	0.00	0.07	0.00
Mopani	0.43	0.00	-100.00	0.07	0.00	-100.00
Sekhukhune	0.14	0.07	-50.00	0.07	0.00	-100.00
Vhembe	0.07	0.07	0.00	0.00	0.00	0.00
Waterberg	0.86	0.07	-91.67	0.07	0.07	0.00




## Mpumalanga



**Figure 22:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, Mpumalanga, 5 March 2020-9 July 2022, N=22,870



**Figure 23:** Number of reported COVID-19 admissions, by district and epidemiologic week, Mpumalanga, 5 March 2020-9 July 2022, N=22,870



**Figure 24:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, Mpumalanga, 5 March 2020-9 July 2022, N=4,915




**Table 10:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, Mpumalanga, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Ehlanzeni	2.36	1.07	-54.55	0.43	0.14	-66.67
Gert Sibande	2.07	0.57	-72.41	0.50	0.00	-100.00
Nkangala	1.43	1.14	-20.00	0.36	0.07	-80.00




## North West



**Figure 25:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, North West, 5 March 2020-9 July 2022, N=34,297



**Figure 26:** Number of reported COVID-19 admissions, by district and epidemiologic week, North West, 5 March 2020-9 July 2022, N=34,297



**Figure 27:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, North West, 5 March 2020-9 July 2022, N=5002




**Table 11:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, North West, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Bojanala Platinum	1.36	0.43	-68.42	0.14	0.21	50.00
Dr Kenneth Kaunda	5.21	2.29	-56.16	1.21	0.71	-41.18
Dr Ruth Segomotsi Mompati	0.36	0.43	20.00	0.14	0.14	0.00
Ngaka Modiri Molema	0.86	0.43	-50.00	0.50	0.21	-57.14




## Northern Cape



**Figure 28:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, Northern Cape, 5 March 2020-9 July 2022, N=11,919



**Figure 29:** Number of reported COVID-19 admissions by district and epidemiologic week, Northern Cape, 5 March 2020-9 July 2022, N=11,919



**Figure 30:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, Northern Cape, 5 March 2020-9 July 2022, N=2,461




**Table 12:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, Northern Cape, 11 June-9 July 2022.


District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Frances Baard	0.29	0.00	-100.00	0.00	0.07	0.00
John Taolo Gaetsewe	0.29	0.14	-50.00	0.07	0.00	-100.00
Namakwa	0.21	0.00	-100.00	0.14	0.00	-100.00
Pixley Ka Seme	0.14	0.00	-100.00	0.00	0.00	0.00
ZF Mgcawu	0.43	0.07	-83.33	0.07	0.07	0.00




## Western Cape



**Figure 31:** Number of reported COVID-19 admissions by health sector and epidemiologic week of diagnosis, Western Cape, 5 March 2020-9 July 2022, N=120,648



**Figure 32:** Number of reported COVID-19 admissions, by district and epidemiologic week, Western Cape, 5 March 2020-9 July 2022, N=120,648



**Figure 33:** Number of reported COVID-19 in-hospital deaths, by district and epidemiologic week, Western Cape, 5 March 2020-9 July 2022, N=18,856



**Table 13:** Previous 14 days and current 14 days average COVID-19 admissions and deaths and percentage changes, Western Cape, 11 June-9 July 2022.

District	Previous 14 days admissions average	Current 14 days admissions average	Percentage change in admissions	Previous 14 days deaths average	Current 14 days deaths average	Percentage change in deaths
Cape Winelands	2.29	0.93	-59.38	0.21	0.14	-33.33
Central Karoo	0.36	0.07	-80.00	0.07	0.00	-100.00
City of Cape Town Metro	23.50	9.29	-60.49	3.00	1.36	-54.76
Garden Route	2.50	1.21	-51.43	0.43	0.29	-33.33
Overberg	0.71	0.50	-30.00	0.07	0.14	100.00
West Coast	0.86	0.29	-66.67	0.29	0.07	-75.00



## Limitation

DATCOV now includes reporting from all hospitals with COVID-19 admissions but many hospitals are yet to reach complete submission of historic data. Data quality in a surveillance system is dependent on the information submitted by healthcare institutions. It is not possible for the NICD to verify or check the quality of all these data, however, the NICD has built-in data quality checks. Delays in reporting of admissions and deaths may affect the numbers reported in the most recent week. The National Department of Health have recruited data capturers to support hospitals to improve data submission.

As hospitals reached capacity, admission criteria may change and therefore influence trends and inferences about the progression of the epidemic. DATCOV only reports hospital-based admissions and deaths and therefore does not include deaths occurring outside hospitals. DATCOV now has a module to record out-of-hospital deaths.

Severity data has some inherent limitations. We rely on a proxy indicator for severity and do not have clinical or laboratory parameters to ascertain clinical severity. In the early and late phases of the wave there is likely to be lower severity due to there being sufficient hospital capacity. It may take a few weeks for hospitalisation outcomes to accumulate. Early reporting on case fatality ratio is also biased particularly in older adults who may have longer admissions and are more likely to die.

## Acknowledgements

All public and private sector hospitals submitting data to DATCOV

Private hospital groups submitting data to DATCOV:

- Netcare
- Life Healthcare
- Mediclinic Southern Africa
- National Hospital Network (NHN)
- Clinix Health Group
- Lenmed
- Joint Medical Holdings (JMH)



## Appendix

**Table 14:** Percentage incidence change in hospital admissions over 14 days, by district, South Africa, 25 June 2022-9 July 2022.

Province	District	Total admissions	Incidence (per 100k)	New admissions	New admissions incidence (per 100k)	% average change (14 days)
Eastern Cape	Alfred Nzo	2754	334.02	2	0.24	-60.00
	Amathole	3316	423.74	0	0.00	-100.00
	Buffalo City Metro	10668	1347.84	2	0.25	-66.67
	Chris Hani	5300	743.80	6	0.84	-40.00
	Joe Gqabi	1209	352.56	1	0.29	0.00
	Nelson Mandela Bay Metro	16928	1403.18	15	1.24	-6.25
	O R Tambo	5034	328.25	0	0.00	-100.00
	Sarah Baartman	3419	708.50	1	0.21	-50.00
Free State	Fezile Dabi	3847	752.03	4	0.78	100.00
	Lejweleputswa	6735	1031.11	4	0.61	-50.00
	Mangaung Metro	15366	1753.35	15	1.71	87.50
	Thabo Mofutsanyana	5848	765.16	8	1.05	14.29
	Xhariep	738	580.91	0	0.00	100.00
Gauteng	City of Johannesburg Metro	56404	938.00	36	0.60	-42.86
	City of Tshwane Metro	44406	1162.35	48	1.26	-9.43
	Ekurhuleni Metro	34294	847.52	19	0.47	-47.22
	Sedibeng	10147	1041.77	8	0.82	-20.00
	West Rand	13864	1449.58	10	1.05	-9.09
KwaZulu-Natal	Amajuba	4722	832.80	1	0.18	-66.67
	eThekweni Metro	40586	1012.22	19	0.47	-13.64
	Harry Gwala	2798	552.82	4	0.79	300.00
	iLembe	3084	443.28	1	0.14	100.00
	King Cetshwayo	9762	1023.13	11	1.15	-35.29
	Ugu	5936	737.89	7	0.87	-22.22
	uMgungundlovu	11909	1044.73	15	1.32	66.67
	uMkhanyakude	1526	221.81	0	0.00	-100.00
	Umzinyathi	2432	431.14	2	0.35	0.00
	UThukela	3323	474.46	2	0.29	100.00
Limpopo	Zululand	2542	287.50	1	0.11	-66.67
	Capricorn	8707	656.17	2	0.15	-33.33
	Mopani	3819	317.54	0	0.00	100.00
	Sekhukhune	2150	176.72	1	0.08	100.00
	Vhembe	3083	215.54	1	0.07	100.00



	Waterberg	3343	445.64	0	0.00	-100.00
Mpumalanga	Ehlanzeni	8088	442.36	6	0.33	-33.33
	Gert Sibande	7813	616.23	5	0.39	25.00
	Nkangala	6977	423.54	10	0.61	11.11
	Bojanala Platinum	11397	585.01	5	0.26	150.00
North West	Dr Kenneth Kaunda	17682	2201.17	9	1.12	-62.50
	Dr Ruth Segomotsi Mompati	2390	512.30	1	0.21	-80.00
	Ngaka Modiri Molema	2828	312.53	1	0.11	-80.00
	Frances Baard	5593	1344.57	0	0.00	100.00
Northern Cape	John Taolo Gaetsewe	1703	616.23	0	0.00	-100.00
	Namakwa	1365	1166.76	0	0.00	100.00
	Pixley Ka Seme	932	442.94	0	0.00	100.00
	ZF Mgcawu	2326	821.00	0	0.00	-100.00
	Cape Winelands	13613	1424.23	6	0.63	-57.14
Western Cape	Central Karoo	1405	1853.76	1	1.32	0.00
	City of Cape Town Metro	84468	1805.30	64	1.37	-42.86
	Garden Route	13326	2121.15	11	1.75	22.22
	Overberg	3308	1082.71	1	0.33	-83.33
	West Coast	4568	972.96	1	0.21	-83.33



**Table 15:** Number of reported COVID-19 admissions and in-hospital deaths by age and gender, South Africa, 5 March 2020-9 July 2022.

Age Group (Years)	ADMISSIONS				DEATHS			
	Female	Male	Unknown	Total	Female	Male	Unknown	Total
0-4	7276	9251	48	16575	179	206	4	389
5-9	2035	2707	8	4750	30	36	0	66
10-14	2697	2803	11	5511	68	70	0	138
15-19	7357	4145	6	11508	162	138	0	300
20-24	11313	5704	10	17027	360	273	1	634
25-29	17847	8083	12	25942	767	535	0	1302
30-34	22848	12714	14	35576	1306	1124	1	2431
35-39	23405	16625	21	40051	1867	1765	4	3636
40-44	20669	18326	16	39011	2282	2354	0	4636
45-49	22733	22253	12	44998	3227	3444	1	6672
50-54	26258	24641	10	50909	4403	4571	2	8976
55-59	29135	26619	16	55770	6209	6246	5	12460
60-64	26000	23802	18	49820	6685	6906	6	13597
65-69	22502	20070	17	42589	6930	6505	6	13441
70-74	19347	17039	19	36405	6187	6030	4	12221
75-79	14713	12165	9	26887	4928	4617	3	9548
80-84	11291	8016	8	19315	4048	3179	3	7230
85-89	6208	3888	2	10098	2284	1678	0	3962
90-94	2732	1379	1	4112	1120	655	0	1775
>=95	834	387	3	1224	369	164	0	533
Unknown	894	696	47	1637	48	43	0	91
<b>Total</b>	<b>298094</b>	<b>241313</b>	<b>308</b>	<b>539715</b>	<b>53459</b>	<b>50539</b>	<b>40</b>	<b>104038</b>



NATIONAL INSTITUTE FOR  
COMMUNICABLE DISEASES

Division of the National Health Laboratory Service